

Safety Data Sheet

according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Formalin 37 %, acid-free, stabilized

UFI: AS6W-60G3-R00P-RPPE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de
Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

1.4. Emergency telephone Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 1; H370 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

formaldehyde % methanol

Signal word: Danger

Pictograms:







Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.



Safety Data Sheet

according to UK REACH Regulation

	Formalin 37 %, acid-free, stabilized	
Revision date: 28.09.2023	Product code: 10189.xxxxx	Page 2 of 15

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H370	Causes damage to organs.

Precautionary statements

P201 Obtain special instructions before use.
P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Special labelling of certain mixtures

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:

P310







Hazard statements

H301+H311+H331-H314-H317-H341-H350-H370

Precautionary statements

P260-P280-P303+P361+P353-P305+P351+P338-P310

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 3 of 15

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)					
50-00-0	formaldehyde %					
	200-001-8	605-001-00-5	01-2119488953-20			
	Carc. 1B, Muta. 2, Acute Tox. 3, Ac H341 H331 H311 H301 H314 H317	cute Tox. 3, Acute Tox. 3, Skin Corr.	1B, Skin Sens. 1; H350			
67-56-1	methanol					
	200-659-6	603-001-00-X	01-2119433307-44			
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

-	51101 = 1111110, 111 140	10.0 till 11.1	
CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
50-00-0	200-001-8	formaldehyde %	35 - < 40 %
	292 mg/kg; oral	0 = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = : LD50 = 100 mg/kg	
67-56-1	200-659-6	methanol	10 - < 15 %
		0 = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = : LD50 = 100 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 -	

Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Remove contaminated, saturated clothing immediately.

First aider: Pay attention to self-protection! Use appropriate respiratory protection.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. In case of accident by inhalation: remove casualty to fresh air and keep at rest. Call a physician immediately. No direct artificial respiration to be given by first aider.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Adverse human health effects and symptoms: Gastric perforation. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.



Safety Data Sheet

according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 4 of 15

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. - Advice for first medical aid:

After contact with solutions / concentrated vapors rinse eyes persistently with water. Always follow-up by ophthalmologist as soon as possible. Wash contaminated skin thoroughly with water. Treat irritated areas with Dermatocorticoid. After extensive wetting a clarification is recommended.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Formaldehyde

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Ventilate affected area.

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided. Inform competent authorities in case of accidental release. (Larger quantities)

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

The contaminated area should be cleaned up immediately with: a concentrated aqueous sodium bisulfite solution. Rinse with water.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage



according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 5 of 15

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Technical ventilation of workplace.

Wear suitable protective clothing. (See section 8.)

Avoid exposure - obtain special instructions before use.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Recommended storage temperature: 15°-25°C

Hints on joint storage

Do not store together with: Explosives. Gas.. Oxidizing liquids. Oxidizing solids. Self-reactive substances and mixtures. Organic peroxides. Ammonium nitrate. Combustible toxic substances. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep/Store only in original container. Ensure adequate ventilation of the storage area. Store small packages in a suitable, robust cabinet.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL



according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 6 of 15

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
50-00-0	formaldehyde %			
Worker DNEL,	acute	inhalation	systemic	1 mg/m³
Worker DNEL,	long-term	dermal	systemic	240 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	0,5 mg/m³
Worker DNEL, long-term		inhalation	local	0,375 mg/m³
Worker DNEL, acute		inhalation	local	0,75 mg/m³
Worker DNEL,	long-term	dermal	local	0,037 mg/cm ²
67-56-1	methanol			
Worker DNEL,	acute	inhalation	local	260 mg/m³
Worker DNEL,	acute	dermal	systemic	40 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	260 mg/m³
Worker DNEL,	long-term	inhalation	local	260 mg/m³
Worker DNEL,	long-term	dermal	systemic	40 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	260 mg/m³

PNEC values

CAS No	Substance	
Environmental	compartment	Value
50-00-0	formaldehyde %	
Freshwater		0,44 mg/l
Freshwater (int	ermittent releases)	4,44 mg/l
Marine water		0,44 mg/l
Freshwater sed	liment	2,3 mg/kg
Marine sedime	nt	2,3 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,19 mg/l
Soil		0,2 mg/kg
67-56-1	methanol	
Freshwater		20,8 mg/l
Marine water		2,08 mg/l
Marine water (intermittent releases)		1540 mg/l
Freshwater sediment		77 mg/kg
Marine sedime	7,7 mg/kg	
Micro-organisms in sewage treatment plants (STP)		
Soil		3,18 mg/kg

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe



according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 7 of 15

gas/fumes/vapour/spray. Technical ventilation of workplace. Use extractor hood (laboratory).

Process within closed systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374

Suitable material:

(penetration time (maximum wearing period): >= 8 hours.):

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

FKM (fluororubber). (0,4 mm)

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Use of protective clothing. Suitable protective clothing: Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at:

Insufficient ventilation.

insufficient absorbtion.

exceeding exposure limit values

Release of: product

Suitable respiratory protective equipment:

Self-contained respirator (breathing apparatus)

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not determined Auto-ignition temperature: not determined Decomposition temperature: not determined



Safety Data Sheet

according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 8 of 15

pH-Value (at 20 °C): 6,9-7,1 Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

not determined

not determined

not determined

not determined

not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

Solid content:

Pour point:

Viscosity / dynamic:

not determined
not determined
not determined
not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

Materials to avoid: Nitrogen oxides (NOx). Nitric acid. Hydrogenium peroxide. Oxidizing agents, strong. Aniline. Performic acid, perchloric acid

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Formaldehyde

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

ATEmix calculated

ATE (oral) 212,8 mg/kg; ATE (dermal) 624,8 mg/kg; ATE (inhalation vapour) 6,380 mg/l; ATE (inhalation dust/mist) 1,064 mg/l



Safety Data Sheet

according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 9 of 15

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
50-00-0	formaldehyde %					
	oral	LD50 mg/kg	100	Rat	GESTIS	
	dermal	LD50 mg/kg	292	Rabbit	GESTIS	
	inhalation (4 h) vapour	LC50	3 mg/l	Rat	suppliers SDS.	
	inhalation dust/mist	ATE	0,5 mg/l			
67-56-1	methanol					
	oral	LD50 mg/kg	100	Rat	suppliers SDS.	
	dermal	LD50 mg/kg	300	Rabbit	suppliers SDS.	
	inhalation (4 h) vapour	LC50	3 mg/l	Rat	suppliers SDS.	
	inhalation dust/mist	ATE	0,5 mg/l			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

May cause an allergic skin reaction. (formaldehyde ... %)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (formaldehyde ... %)

May cause cancer. (formaldehyde ... %)

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol)

May cause respiratory irritation. (formaldehyde ... %)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 10 of 15

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
50-00-0	formaldehyde %						
	Acute fish toxicity	LC50 mg/l	24,1	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	4,89	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50	5,8 mg/l	48 h	Daphnia pulex (water flea)	ECHA Dossier	
67-56-1	methanol						
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	22000	96 h	Pseudokirchneriella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna	ECHA Dossier	OECD 202

12.2. Persistence and degradability

The product has not been tested

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation		-	-		
50-00-0	formaldehyde %					
	OECD Guideline 301 C	91 %	14	ECHA Dossier		
	Easily biodegradable (concerning to the crit	eria of the OECD)				
	OECD Guideline 301 D	90	28	ECHA Dossier		
	Product is biodegradable.					
67-56-1	methanol					
	other guideline	96%	20	ECHA Dossier		
•	Easily biodegradable (concerning to the crit	eria of the OECD)	-	-		

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
50-00-0	formaldehyde %	0,35
67-56-1	methanol	-0,77

BCF

CAS No	Chemical name	BCF	Species	Source
67-56-1	methanol	<10		

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.



according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 11 of 15

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2209

14.2. UN proper shipping name: FORMALDEHYDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C9
Special Provisions: 533
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2209

14.2. UN proper shipping name: FORMALDEHYDE SOLUTION

14.3. Transport hazard class(es): 8
14.4. Packing group: |||



Safety Data Sheet

according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 12 of 15

Hazard label:



Classification code: C9
Special Provisions: 533
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 2209

14.2. UN proper shipping name: FORMALDEHYDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

5 L

E1

F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2209

14.2. UN proper shipping name: FORMALDEHYDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions: A803
Limited quantity Passenger: 1 L
Passenger LQ: Y841
Excepted quantity: E1

IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive. See section 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information



according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 13 of 15

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 47 % (423 g/l)
2004/42/EC (VOC): 47 % (423 g/l)
Information according to 2012/18/EU H2 ACUTE TOXIC

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning. Causes

allergic hypersensitivity reactions.

Additional information

The product is subject to the Chemicals Prohibition Ordinance (ChemVerbotsV). Observe the requirements and restrictions for handling and dispensing in Section 3 of the ChemVerbotsV, among others.

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

formaldehyde ... %

methanol

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,11,12,13,14,15,16.

Rev. 2,0; 04.01.2023; Individual safety data sheet based on 10189_collect

Rev. 2,1; 28.09.2023; general adjustment(s)

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration



according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 14 of 15

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 3; H301	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H331	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Muta. 2; H341	Calculation method
Carc. 1B; H350	Calculation method
STOT SE 1; H370	Calculation method
STOT SE 3; H335	Calculation method



Safety Data Sheet

according to UK REACH Regulation

Formalin 37 %, acid-free, stabilized

Revision date: 28.09.2023 Product code: 10189.xxxxx Page 15 of 15

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.H341 Suspected of causing genetic defects.

H350 May cause cancer.

H370 Causes damage to organs.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)