

according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Formalin 4 %, carbonate buffer, pH neutral

UFI:

N17W-Q0J9-P005-QQEM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

| MORPHISTO GmbH | |
|---|---|
| Schumannstr. 142/144 | |
| D-63069 Offenbach | |
| +49 (0) 69 / 400 3019-60 | Telefax: +49 (0) 69 / 400 3019-64 |
| info@morphisto.de | |
| Morphisto GmbH | |
| gefahrstoffmanagement@morphisto.de | |
| http://www.morphisto.de | |
| Poison Information Center Mainz, Germany, | Tel: +49(0)6131/19240 |
| | Schumannstr. 142/144 D-63069 Offenbach +49 (0) 69 / 400 3019-60 info@morphisto.de Morphisto GmbH gefahrstoffmanagement@morphisto.de http://www.morphisto.de |

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 Skin Sens. 1; H317 Muta. 2; H341 Carc. 1B; H350

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

formaldehyde% methanol

Signal word:

Danger

Pictograms:



Hazard statements

| H302 | Harmful if swallowed. |
|------|---------------------------------------|
| H317 | May cause an allergic skin reaction. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |

Precautionary statements

P201

Obtain special instructions before use.



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 2 of 14

Wear protective gloves/protective clothing/eye protection/face protection. P308+P313 IF exposed or concerned: Get medical advice/attention.

Special labelling of certain mixtures

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Pictograms:**

P280



Hazard statements

H317-H341-H350

Precautionary statements

P201-P280-P308+P313

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|---------|---|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP I | | | |
| 50-00-0 | formaldehyde% | | | 1 - < 5 % |
| | 200-001-8 | 605-001-00-5 | 01-2119488953-20 | |
| | Carc. 1B, Muta. 2, Acute H341 H331 H311 H301 | | | |
| 67-56-1 | methanol | | | 1 - < 5 % |
| | 200-659-6 | 603-001-00-X | 01-2119433307-44 | |
| | Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370 | | | |

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|---------|---|--|-----------|
| | Specific Conc. I | Limits, M-factors and ATE | |
| 50-00-0 | 200-001-8 | formaldehyde% | 1 - < 5 % |
| | inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 292 mg/kg; oral: LD50 = 100 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 5 - < 25 Eye Irrit. 2; H319: >= 5 - < 25 Skin Sens. 1; H317: >= 0,2 - 100 STOT SE 3; H335: >= 5 - 100 | | |
| 67-56-1 | 200-659-6 | methanol | 1 - < 5 % |
| | | 50 = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = l: LD50 = 100 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - | |

Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Remove contaminated, saturated clothing immediately.Remove affected person from the danger area and lay down. Remove person to fresh air and keep comfortable for breathing.

After inhalation

When in doubt or if symptoms are observed, get medical advice. If breathing is irregular or stopped, administer artificial respiration. Provide fresh air. Get immediate medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Observe risk of aspiration if vomiting occurs. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

Inebriation, Dizziness, Headache, Dizziness, Agitation, Spasms, Impairment of vision, Anaesthetic state, Coma, Irritation and etching, Allergic reactions, Cough, Dyspnoea, Danger of blindness!

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. - Advice for first medical aid:

After contact with solutions / concentrated vapors rinse eyes persistently with water. Always follow-up by ophthalmologist as soon as possible. Wash contaminated skin thoroughly with water. Treat irritated areas with Dermatocorticoid. After extensive wetting a clarification is recommended.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, alcohol resistant foam, Dry extinguishing powder, Carbon dioxide.



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 4 of 14

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. The product itself does not burn. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Formaldehyde

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided. Inform competent authorities in case of accidental release. (Larger quantities)

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Technical ventilation of workplace. Wear suitable protective clothing. (See section 8.

Avoid exposure - obtain special instructions before use. Keep container tightly closed.

Advice on protection against fire and explosion

The product itself does not burn. Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. Street clothing should be stored seperately from work clothing.

Further information on handling

General protection and hygiene measures: See section 8.



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 5 of 14

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep only in the original container in a cool, well-ventilated place. Recommended storage temperature: 15°-25°C.

Hints on joint storage

Do not store together with: Explosives. Gas.. Oxidizing liquids. Oxidizing solids. Self-reactive substances and mixtures. Organic peroxides. Ammonium nitrate. Combustible toxic substances. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep/Store only in original container. Ensure adequate ventilation of the storage area. Store small packages in a suitable, robust cabinet.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|--------------|-----|-------|-----------|---------------|--------|
| 50-00-0 | Formaldehyde | 2 | 2.5 | | TWA (8 h) | WEL |
| | | 2 | 2.5 | | STEL (15 min) | WEL |
| 67-56-1 | Methanol | 200 | 266 | | TWA (8 h) | WEL |
| | | 250 | 333 | | STEL (15 min) | WEL |

DNEL/DMEL values

| CAS No | Substance | | | | |
|------------------------|---------------|----------------|----------|--------------------------|--|
| DNEL type | | Exposure route | Effect | Value | |
| 50-00-0 | formaldehyde% | | | | |
| Worker DNE | _, acute | inhalation | systemic | 1 mg/m³ | |
| Worker DNE | _, long-term | dermal | systemic | 240 mg/kg bw/day | |
| Worker DNE | _, long-term | inhalation | systemic | 0,5 mg/m³ | |
| Worker DNE | _, long-term | inhalation | local | 0,375 mg/m³ | |
| Worker DNE | _, acute | inhalation | local | 0,75 mg/m³ | |
| Worker DNE | _, long-term | dermal | local | 0,037 mg/cm ² | |
| 67-56-1 | methanol | | | | |
| Worker DNE | _, acute | inhalation | local | 260 mg/m³ | |
| Worker DNE | _, acute | dermal | systemic | 40 mg/kg bw/day | |
| Worker DNE | _, acute | inhalation | systemic | 260 mg/m³ | |
| Worker DNEL, long-term | | inhalation | local | 260 mg/m³ | |
| Worker DNE | _, long-term | dermal | systemic | 40 mg/kg bw/day | |
| Worker DNE | _, long-term | inhalation | systemic | 260 mg/m³ | |



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 6 of 14

PNEC values

| CAS No | Substance | | | | |
|--|---|------------|--|--|--|
| Environmen | tal compartment | Value | | | |
| 50-00-0 | formaldehyde% | | | | |
| Freshwater | Freshwater 0,44 mg/l | | | | |
| Freshwater | (intermittent releases) | 4,44 mg/l | | | |
| Marine wate | er en | 0,44 mg/l | | | |
| Freshwater | sediment | 2,3 mg/kg | | | |
| Marine sedi | ment | 2,3 mg/kg | | | |
| Micro-organisms in sewage treatment plants (STP) 0,19 mg/l | | | | | |
| Soil | | 0,2 mg/kg | | | |
| 67-56-1 | methanol | | | | |
| Freshwater | | 20,8 mg/l | | | |
| Marine wate | er | 2,08 mg/l | | | |
| Marine wate | er (intermittent releases) | 1540 mg/l | | | |
| Freshwater sediment 77 mg/kg | | | | | |
| Marine sediment 7,7 mg/kg | | | | | |
| Micro-organisms in sewage treatment plants (STP) 100 mg/l | | | | | |
| Soil | | 3,18 mg/kg | | | |

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Technical ventilation of workplace. Use extractor hood (laboratory). Process within closed systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Suitable eye protection: Tightly sealed safety glasses. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374 Suitable material:

(penetration time (maximum wearing period): >= 8 Stunden): CR (polychloroprenes, Chloroprene rubber). (0,5 mm) NBR (Nitrile rubber). (0,35 mm) FKM (fluororubber). (0,4 mm) PVC (Polyvinyl chloride). (0,5 mm) Butyl rubber. (0,5 mm) Before using check leak tightness / impermeability.

Skin protection

Use of protective clothing. Suitable protective clothing: Protective clothing.: Solvent resistant.



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 7 of 14

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: Insufficient ventilation.

insufficient absorbtion.

exceeding exposure limit values

Release of:product

Suitable respiratory protective equipment:

Self-contained respirator (breathing apparatus) Suitable respiratory protective equipment:Type: A-P2 The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. The wearing time limitations according to GefStoffV in conjunction with the rules for the use of respiratory protective devices (BGR 190) must be observed.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | liquid | |
|---|------------------------------|--|
| Colour: | colourless | |
| Odour: | slightly irritant - stinging | |
| Melting point/freezing point: | | not determined |
| Boiling point or initial boiling point and | | 100 °C |
| boiling range: | | |
| Flammability: | | not applicable |
| Lower explosion limits: | | not determined |
| Upper explosion limits: | | not determined |
| Flash point: | | not applicable |
| Auto-ignition temperature: | | not determined |
| Decomposition temperature: | | not determined |
| pH-Value (at 20 °C): | | 6,5-7,5 |
| Viscosity / kinematic: | | not determined |
| Water solubility: | | completely miscible |
| (at 20 °C) | | |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/water: | | not determined |
| Vapour pressure: | | 23 hPa |
| (at 20 °C) | | 1.01 |
| Density (at 20 °C): Relative vapour density: | | 1,01 g/cm ³ not determined |
| | | not determined |
| 9.2. Other information | | |
| Information with regard to physical haza | ard classes | |
| Explosive properties | | |
| The product is not: Explosive. | | |
| Self-ignition temperature Solid: | | not oppligable |
| | | not applicable |
| Gas: Oxidizing properties | | not applicable |
| Ovidiality higherites | | |



according to UK REACH Regulation

| Formalin 4 %, carbonate buffer, pH neutral | |
|--|--|
|--|--|

| Revision date: 27.06.2023 | Product code: 10192.xxxxx | Page 8 of 14 |
|------------------------------|---------------------------|--------------|
| Other safety characteristics | | |

Other safety characteristics

| Evaporation rate: | not determined |
|----------------------|----------------|
| Solid content: | not determined |
| Pour point: | not determined |
| Viscosity / dynamic: | not determined |
| | |

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal storage and handling conditions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Incompatible materials: Oxidizing agents.

10.4. Conditions to avoid

Keep away from heat. Protect from direct sunlight.

10.5. Incompatible materials

Materials to avoid: Nitrogen oxides (NOx). Nitric acid. Hydrogenium peroxide. Oxidizing agents, strong. Reducing agents, strong. Aniline. Performic acid, perchloric acid

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Formaldehyde, Phosphorus oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1820 mg/kg; ATE (dermal) 5345 mg/kg; ATE (inhalation vapour) 54,60 mg/l; ATE (inhalation dust/mist) 9,100 mg/l

| CAS No | Chemical name | | | | | |
|---------|-------------------------|---------------|----------|---------|----------------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 50-00-0 | formaldehyde% | | | | | |
| | oral | LD50 mg/kg | 100 | Rat | GESTIS | |
| | dermal | LD50 mg/kg | 292 | Rabbit | GESTIS | |
| | inhalation (4 h) vapour | LC50 | 3 mg/l | Rat | suppliers SDS. | |
| | inhalation dust/mist | ATE | 0,5 mg/l | | | |
| 67-56-1 | methanol | | | | | |
| | oral | LD50 mg/kg | 100 | Rat | suppliers SDS. | |
| | dermal | LD50 mg/kg | 300 | Rabbit | suppliers SDS. | |
| | inhalation (4 h) vapour | LC50 | 3 mg/l | Rat | suppliers SDS. | |
| | inhalation dust/mist | ATE | 0,5 mg/l | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 9 of 14

Sensitising effects

May cause an allergic skin reaction. (formaldehyde%)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (formaldehyde%)

May cause cancer. (formaldehyde%)

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | | |
|---------|--------------------------|---------------|----------|-----------|------------------------------------|--------------|----------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 50-00-0 | formaldehyde% | formaldehyde% | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 24,1 | 96 h | Pimephales promelas | ECHA Dossier | | |
| | Acute algae toxicity | ErC50 mg/l | 4,89 | 72 h | Desmodesmus subspicatus | ECHA Dossier | | |
| | Acute crustacea toxicity | EC50 | 5,8 mg/l | 48 h | Daphnia pulex (water flea) | ECHA Dossier | | |
| 67-56-1 | methanol | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 15400 | 96 h | Lepomis macrochirus | ECHA Dossier | | |
| | Acute algae toxicity | ErC50 mg/l | 22000 | 96 h | Pseudokirchneriella subcapitata | ECHA Dossier | | |
| | Acute crustacea toxicity | EC50 mg/l | >1000 | 48 h | Daphnia magna | ECHA Dossier | OECD 202 | |

12.2. Persistence and degradability

The product has not been tested.



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 10 of 14

| CAS No | Chemical name | | | | | |
|---------|---|-------|----|--------------|--|--|
| | Method | Value | d | Source | | |
| | Evaluation | · | | • | | |
| 50-00-0 | formaldehyde% | | | | | |
| | OECD Guideline 301 C | 91 % | 14 | ECHA Dossier | | |
| | Easily biodegradable (concerning to the criteria of the OECD) | | | | | |
| | OECD Guideline 301 D | 90 | 28 | ECHA Dossier | | |
| | Product is biodegradable. | | | | | |
| 67-56-1 | methanol | | | | | |
| | other guideline | 96% | 20 | ECHA Dossier | | |
| | Easily biodegradable (concerning to the criteria of the OECD) | | | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|---------------|---------|
| 50-00-0 | formaldehyde% | 0,35 |
| 67-56-1 | methanol | -0,77 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|---------|---------------|-----|---------|--------|
| 67-56-1 | methanol | <10 | | |

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product



according to UK REACH Regulation

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 11 of 14

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to IMO instruments not applicable **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 75 Information according to Directive Not subject to 2012/18/EU (SEVESO III)

Additional information

2012/18/EU (SEVESO III):

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

according to UK REACH Regulation

| Formalin 4 %, carbonate buffer, pH neutral | | | | |
|--|---|-------------------|--|--|
| Revision date: 27.06.2023 | Product code: 10192.xxxxx | Page 12 of 14 | | |
| National regulatory information | | | | |
| Employment restrictions: | Observe restrictions to employment for juveniles accor work protection guideline' (94/33/EC). Observe employ under the Maternity Protection Directive (92/85/EEC) for nursing mothers. | ment restrictions | | |
| Water hazard class (D): | 3 - highly hazardous to water | | | |
| Skin resorption/Sensitization: | Causes allergic hypersensitivity reactions. | | | |
| Additional information | | | | |
| The product is subject to the Chem | icals Prohibition Ordinance (ChemVerbotsV). Observe the re | equirements | | |

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: formaldehyde% methanol

and restrictions for handling and dispensing in Section 3 of the ChemVerbotsV, among others.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16. Rev. 2,0; Individual safety data sheet based on10192_collect Rev. 2,1; 27.06.2023; general adjustment(s)



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 13 of 14

Abbreviations and acronyms

Flam. Lig: Flammable liquids Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity STOT SE: Specific target organ toxicity - single exposure ADR: Accord européen sur le transport des marchandises dangereuses par Route CAS Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern

TRGS Technische Regeln fuerGefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic



according to UK REACH Regulation

Formalin 4 %, carbonate buffer, pH neutral

Revision date: 27.06.2023

Product code: 10192.xxxxx

Page 14 of 14

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures) EmS: Emergency Schedules

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|--------------------|--------------------------|
| Acute Tox. 4; H302 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Muta. 2; H341 | Calculation method |
| Carc. 1B; H350 | Calculation method |

Relevant H and EUH statements (number and full text)

| H225 | Highly flammable liquid and vapour. |
|------|--|
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H331 | Toxic if inhaled. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |
| H370 | Causes damage to organs. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)