

Hematoxylin after GILL - I

according to UK REACH Regulation

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hematoxylin after GILL - I

UFI:

U39W-V03U-1001-KWE5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent.

The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
e-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
e-mail:	gefahrstoffmanagement@morphisto.de	
Internet:	http://www.morphisto.de	
1.4. Emergency telephone	Poison Information Center Mainz, Germa	any, Tel: +49(0)6131/19240
<u>number:</u>		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

Warning

2.2. Label elements

GB CLP Regulation

Hazard components for labelling ethanediol

Signal word:

Pictograms:



Hazard statements

H302 H373 Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

cautionaly statement	5
P260	Do not breathe mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P314	Get medical advice/attention if you feel unwell.

Labelling of packages where the contents do not exceed 125 ml



according to UK REACH Regulation

Hematoxylin after GILL - I

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 2 of 12

Signal word: Pictograms:



2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1% or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	ndex No REACH No			
	Classification (GB CLP Regulation)					
107-21-1	ethanediol					
	203-473-3	603-027-00-1	01-2119456816-28			
	Acute Tox. 4, STOT RE	E 2; H302 H373				
64-19-7	Acetic acid					
	200-580-7	607-002-00-6	01-2119475328-30			
	Flam. Liq. 3, Skin Corr. 1A; H226 H314					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	Limits, M-factors and ATE		
107-21-1	203-473-3	ethanediol	25 - < 30 %	
	dermal: LD50 = >3500 mg/kg; oral: LD50 = 7712 mg/kg			
64-19-7	200-580-7	Acetic acid	1 - < 5 %	
		0 = >40 mg/l (vapours); oral: LD50 = 3530 mg/kg Skin Corr. 1A; H314: >= 90 - : 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >=		

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Medical treatment necessary. In case of accident by inhalation: remove casualty to fresh air



according to UK REACH Regulation

Hematoxylin after GILL - I

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 3 of 12

and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. In case of skin irritation, seek medical treatment.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Rinse mouth thoroughly with water. Call a physician immediately. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray. Carbon dioxide. Extinguishing powder. Dry extinguishing powder. alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Sulphur oxides, Carbon dioxide (CO2), Carbon monoxide

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Ventilate affected area. Wear personal protection equipment. (See section 8.)

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.



according to UK REACH Regulation

Hematoxylin after GILL - I

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 4 of 12

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation. Use extractor hood (laboratory). Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. Take off contaminated clothing and wash it before reuse.

Further information on handling

Avoid contact with skin, eyes and clothes. General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Recommended storage temperature: 15-25 °C Protect against: frost. heat. Cold. Humidity

7.3. Specific end use(s)

Use as laboratory reagent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	WEL
		20	50		STEL (15 min)	WEL
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL



according to UK REACH Regulation

Hematoxylin after GILL - I

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 5 of 12

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
107-21-1	ethanediol			
Worker DNEL,	, long-term	inhalation	local	35 mg/m³
Worker DNEL,	, long-term	dermal	systemic	106 mg/kg bw/day
64-19-7	Acetic acid			
Worker DNEL,	, long-term	inhalation	local	25 mg/m³
Worker DNEL,	, acute	inhalation	local	25 mg/m³
Consumer DN	EL, long-term	inhalation	local	25 mg/m³
Consumer DN	EL, acute	inhalation	local	25 mg/m³

PNEC values

CAS No	Substance					
Environment	Environmental compartment					
107-21-1	ethanediol					
Freshwater	Freshwater					
Marine water	r	1 mg/l				
Freshwater s	sediment	37 mg/kg				
Marine sedin	nent	3,7 mg/kg				
Micro-organi	199,5 mg/l					
Soil		1,53 mg/kg				
64-19-7	Acetic acid					
Freshwater		3,058 mg/l				
Freshwater ((intermittent releases)	30,58 mg/l				
Marine water	r	0,306 mg/l				
Freshwater s	sediment	11,36 mg/kg				
Marine sedin	nent	1,136 mg/kg				
Micro-organi	85 mg/l					
Soil		0,47 mg/kg				

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory).

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the

according to UK REACH Regulation

Hematoxylin after GILL - I

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 6 of 12

supplier of these gloves. Pull-over gloves of rubber. EN ISO 374

Suitable material:

(penetration time (maximum wearing period): >= 8h)

NBR (Nitrile rubber)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Use of protective clothing. lab coat

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Usually no personal respirative protection necessary.

Respiratory protection necessary at:

exceeding exposure limit values

aerosol or mist generation.

Suitable respiratory protection apparatus: Combination filtering device (EN 14387) - Type: AP2/P3 The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not empty into drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	violet - red	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point ar	nd	~100 °C
boiling range:		
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value (at 20 °C):		2-3
Viscosity / kinematic:		not determined
Water solubility:		not determined
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1,01-1,03 g/cm³
Relative vapour density:		not determined
9.2. Other information		
Information with regard to physica	l hazard classes	
Explosive properties		
The product is not: Explosive. no	ot determined	

Sustaining combustion:

No data available



according to UK REACH Regulation

Hematoxylin after GILL - I					
Revision date: 13.06.2023	Product code: 10216.xxxxx	Page 7 of 12			
Oxidizing properties not determined					
Other safety characteristics					
Evaporation rate:	not determined				
Solid content:	not determined				
Viscosity / dynamic:	not determined				
Flow time:	not determined				

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

heat. UV-radiation/sunlight.

10.5. Incompatible materials

Oxidizing agents, strong. Reducing agents, strong. Strong acid.

10.6. Hazardous decomposition products

In case of fire may be liberated: Sulphur oxides, Carbon dioxide (CO2), Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1917,9 mg/kg

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
107-21-1	ethanediol							
	oral	LD50 mg/kg	7712	Rat	ECHA			
	dermal	LD50 mg/kg	>3500	Mouse	ECHA			
64-19-7	Acetic acid							
	oral	LD50 mg/kg	3530	Rat	GESTIS			
	inhalation (4 h) vapour	LC50	>40 mg/l	Rat	suppliers SDS.			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Hematoxylin after GILL - I

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 8 of 12

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (ethanediol)

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
107-21-1	ethanediol						
	Acute fish toxicity	LC50 mg/l	>17000	96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA	
	Acute algae toxicity	ErC50 mg/l	>6500	96 h	Selenastrum capricornutum	ECHA	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	ECHA	
	Fish toxicity	NOEC mg/l	>1500	28 d	Oncorhynchus mykiss (Rainbow trout)	ECHA	
	Crustacea toxicity	NOEC mg/l	>15000	21 d	Daphnia magna (Big water flea)	ECHA	
64-19-7	Acetic acid						
	Acute fish toxicity	LC50 mg/l	>300	96 h	Oncorhynchus mykiss	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	>300	72 h	Skeletonema costatum	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	>300	48 h	Daphnia magna	ECHA Dossier	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation	·	·					
107-21-1	ethanediol							
	Biodegradability	83-96%	14					
	Readily biodegradable (according to OECD criter	ia).						
64-19-7	Acetic acid							
	Other guideline	95%	5	suppliers SDS.				
	Easily biodegradable (concerning to the criteria of the OECD)							

12.3. Bioaccumulative potential

The product has not been tested.



according to UK REACH Regulation

Hematoxylin after GILL - I

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 9 of 12

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol	-1,36
64-19-7	Acetic acid	-0,17

BCF

CAS No	Chemical name	BCF	Species	Source
64-19-7	Acetic acid	3,16		

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

Revision date: 13.06.2023	
Revision date: 13.06.2023	Hematoxylin after GILL - I
	Product code: 10216.xxxxx Page 10 o
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
<u>14.5. Environmental hazards</u>	
ENVIRONMENTALLY HAZARDOUS:	No
14.7. Maritime transport in bulk according not relevant SECTION 15: Regulatory information	
EU regulatory information	ulations/legislation specific for the substance or mixture
EU regulatory information Restrictions on use (REACH, annex XVII	
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75):
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75 2010/75/EU (VOC):): 1,97 % (19,897 g/l)
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75):
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU): 1,97 % (19,897 g/l) 28,04 % (283,204 g/l)
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information): 1,97 % (19,897 g/l) 28,04 % (283,204 g/l) Not subject to 2012/18/EU (SEVESO III)
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information The mixture is classified as hazardou): 1,97 % (19,897 g/l) 28,04 % (283,204 g/l)
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information The mixture is classified as hazardou National regulatory information): 1,97 % (19,897 g/l) 28,04 % (283,204 g/l) Not subject to 2012/18/EU (SEVESO III) s according to regulation (EC) No 1272/2008 [CLP].
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information The mixture is classified as hazardou): 1,97 % (19,897 g/l) 28,04 % (283,204 g/l) Not subject to 2012/18/EU (SEVESO III) s according to regulation (EC) No 1272/2008 [CLP]. Observe restrictions to employment for juveniles according to the 'juvenile
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information The mixture is classified as hazardou National regulatory information): 1,97 % (19,897 g/l) 28,04 % (283,204 g/l) Not subject to 2012/18/EU (SEVESO III) s according to regulation (EC) No 1272/2008 [CLP].
EU regulatory information Restrictions on use (REACH, annex XVII Entry 3, Entry 40, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information The mixture is classified as hazardou National regulatory information Employment restrictions:): 1,97 % (19,897 g/l) 28,04 % (283,204 g/l) Not subject to 2012/18/EU (SEVESO III) s according to regulation (EC) No 1272/2008 [CLP]. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,11,12,13,14,15,16. Rev. 2,0; Einzel SDB auf Grundlage von 10216_collect



according to UK REACH Regulation

Hematoxylin after GILL - I

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 11 of 12

Rev. 2,1; 13.06.2023; revision of the classification

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route CAS Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program N/A: not applicable OSHA: Occupational Safety and Health Administration PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SARA: Superfund Amendments and Reauthorization Act SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe WGK: Wassergefaehrdungsklasse CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



according to UK REACH Regulation

Hematoxylin after GILL - I

Revision date: 13.06.2023

Product code: 10216.xxxxx

Page 12 of 12

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
STOT RE 2; H373	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)