

## Safety Data Sheet

according to UK REACH Regulation

### MorDIFF-Quick Fixative

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 1 of 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

MorDIFF-Quick Fixative

UFI: 3V4D-91JD-V003-T2WE

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH  
Street: Schumannstr. 142/144  
Place: D-63069 Offenbach  
Telephone: +49 (0) 69 / 400 3019-60      Telefax: +49 (0) 69 / 400 3019-64  
E-mail: info@morphisto.de  
Contact person: Morphisto GmbH  
E-mail: gefahrstoffmanagement@morphisto.de  
Internet: http://www.morphisto.de

### 1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Flam. Liq. 2; H225  
Acute Tox. 3; H301  
Acute Tox. 3; H311  
Acute Tox. 3; H331  
STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

methanol

Signal word: Danger

#### Pictograms:



#### Hazard statements

H225 Highly flammable liquid and vapour.  
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.  
H370 Causes damage to organs.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Safety Data Sheet

according to UK REACH Regulation

### MorDIFF-Quick Fixative

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 2 of 14

P260 Do not breathe mist/vapours/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
 P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



#### Hazard statements

H301+H311+H331-H370

#### Precautionary statements

P260-P308+P311

#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
67-56-1	methanol			95 - < 100 %
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
67-56-1	200-659-6	methanol	95 - < 100 %
	inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 300 mg/kg; oral: LD50 = 100 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10		

#### Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Safety Data Sheet**

according to UK REACH Regulation

**MorDIFF-Quick Fixative**

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 3 of 14

**General information**

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Remove contaminated, saturated clothing immediately. First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of accident by inhalation: remove casualty to fresh air and keep at rest. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Where appropriate artificial ventilation. Call a physician immediately.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

**After contact with eyes**

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

refer to chapter 2 and 11.

**4.3. Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Highly flammable. Vapours can form explosive mixtures with air. Concentrated vapours are heavier than air. Reignition possible over considerable distance.

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fight fire remotely due to the risk of explosion.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. (See section 8. )Ventilate affected area. Remove persons to safety. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

**Safety Data Sheet**

according to UK REACH Regulation

**MorDIFF-Quick Fixative**

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 4 of 14

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Discharge into the environment must be avoided. Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.3. Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**Other information**

Clean contaminated objects and areas thoroughly observing environmental regulations.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaust at critical locations. Use extractor hood (laboratory).

Avoid exposure - obtain special instructions before use. Personal protection equipment (See section 8.)

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Flammable vapours can accumulate in head space of closed systems. Heating causes rise in pressure with risk of bursting.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Use protective skin cream before handling the product. Always close containers tightly after the removal of product. Protect skin by using skin protective cream. Take off contaminated clothing and wash it before reuse.

**Further information on handling**

Avoid contact with skin, eyes and clothes. General protection and hygiene measures: See section 8.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep/Store only in original container. Ensure adequate ventilation of the storage area.

Make sure spills can be contained (e.g. sump pallets or kerbed areas).

**Hints on joint storage**

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances or mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. Ammonium nitrate and preparations containing ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

**Further information on storage conditions**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 15-25 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

## Safety Data Sheet

according to UK REACH Regulation

### MorDIFF-Quick Fixative

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 5 of 14

#### 7.3. Specific end use(s)

See section 1.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

##### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
67-56-1	methanol			
	Worker DNEL, acute	inhalation	local	260 mg/m <sup>3</sup>
	Worker DNEL, acute	dermal	systemic	40 mg/kg bw/day
	Worker DNEL, acute	inhalation	systemic	260 mg/m <sup>3</sup>
	Worker DNEL, long-term	inhalation	local	260 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	40 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	260 mg/m <sup>3</sup>

##### PNEC values

CAS No	Substance	Value
67-56-1	methanol	
	Freshwater	20,8 mg/l
	Marine water	2,08 mg/l
	Marine water (intermittent releases)	1540 mg/l
	Freshwater sediment	77 mg/kg
	Marine sediment	7,7 mg/kg
	Micro-organisms in sewage treatment plants (STP)	100 mg/l
	Soil	3,18 mg/kg

#### 8.2. Exposure controls



##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations. Use extractor hood (laboratory).

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. Eye glasses with side protection EN 166

**Safety Data Sheet**

according to UK REACH Regulation

**MorDIFF-Quick Fixative**

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 6 of 14

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber.

Suitable material:

Butyl rubber. (0,5 mm)

(penetration time (maximum wearing period):  $\geq 480$  h)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

**Skin protection**

Flame-retardant protective clothing. Wear anti-static footwear and clothing Protective clothing.

(flame-retardant)

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Insufficient ventilation.

exceeding exposure limit values

Suitable respiratory protective equipment: Self-contained respirator (breathing apparatus)

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

**Thermal hazards**

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	turquoise	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		64,7 °C
Flammability:		not determined
Lower explosion limits:		6 vol. %
Upper explosion limits:		50 vol. %
Flash point:		9,7 °C
Auto-ignition temperature:		440 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility: (at 20 °C)		miscible.

**Safety Data Sheet**

according to UK REACH Regulation

**MorDIFF-Quick Fixative**

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 7 of 14

Solubility in other solvents  
miscible.

Partition coefficient n-octanol/water:

not determined

Vapour pressure:

129 hPa

(at 20 °C)

Density (at 20 °C):

0,79 g/cm<sup>3</sup>

Relative vapour density:

not determined

Particle characteristics:

not applicable

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Sustaining combustion:

Sustaining combustion

Oxidizing properties

none

**Other safety characteristics**

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Highly flammable. No information available.

**10.2. Chemical stability**

No information available.

**10.3. Possibility of hazardous reactions**

No information available.

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat. Protect from direct sunlight.

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

**10.5. Incompatible materials**

Oxidizing agents. Strong acid, Base.

**10.6. Hazardous decomposition products**In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

**ATEmix calculated**

ATE (oral) 100,0 mg/kg; ATE (dermal) 300,0 mg/kg; ATE (inhalation vapour) 3,000 mg/l; ATE (inhalation dust/mist) 0,5000 mg/l

**Safety Data Sheet**

according to UK REACH Regulation

**MorDIFF-Quick Fixative**

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 8 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-56-1	methanol				
	oral	LD50 mg/kg	100	Rat	suppliers SDS.
	dermal	LD50 mg/kg	300	Rabbit	suppliers SDS.
	inhalation (4 h) vapour	LC50	3 mg/l	Rat	suppliers SDS.
	inhalation dust/mist	ATE	0,5 mg/l		

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Causes damage to organs. (methanol)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards**
**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**Other information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

**SECTION 12: Ecological information**
**12.1. Toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
67-56-1	methanol					
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	ECHA Dossier
	Acute algae toxicity	ErC50 mg/l	22000	96 h	Pseudokirchneriella subcapitata	ECHA Dossier
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna	ECHA Dossier OECD 202

**12.2. Persistence and degradability**

The product has not been tested.



## Safety Data Sheet

according to UK REACH Regulation

### MorDIFF-Quick Fixative

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 9 of 14

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
67-56-1	methanol			
	other guideline	96%	20	ECHA Dossier
	Easily biodegradable (concerning to the criteria of the OECD)			

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77

#### BCF

CAS No	Chemical name	BCF	Species	Source
67-56-1	methanol	<10		

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

##### List of Wastes Code - residues/unused products

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded organic chemicals consisting of or containing hazardous substances; hazardous waste

##### List of Wastes Code - used product

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded organic chemicals consisting of or containing hazardous substances; hazardous waste

##### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Safety Data Sheet**

according to UK REACH Regulation

**MorDIFF-Quick Fixative**

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 10 of 14

**Contaminated packaging**

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1230  
**14.2. UN proper shipping name:** METHANOL  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3+6.1



Classification code: FT1  
Special Provisions: 279  
Limited quantity: 1 L  
Excepted quantity: E2  
Transport category: 2  
Hazard No: 336  
Tunnel restriction code: D/E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 1230  
**14.2. UN proper shipping name:** METHANOL  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3+6.1



Classification code: FT1  
Special Provisions: 279 802  
Limited quantity: 1 L  
Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1230  
**14.2. UN proper shipping name:** METHANOL  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3+6.1



Special Provisions: 279  
Limited quantity: 1 L  
Excepted quantity: E2  
EmS: F-E, S-D

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1230  
**14.2. UN proper shipping name:** METHANOL

## Safety Data Sheet



according to UK REACH Regulation

### MorDIFF-Quick Fixative

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 11 of 14

<b>14.3. Transport hazard class(es):</b>	3	
<b>14.4. Packing group:</b>	II	
Hazard label:	3+6.1	
		
Special Provisions:	A113	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:		352
IATA-max. quantity - Passenger:		1 L
IATA-packing instructions - Cargo:		364
IATA-max. quantity - Cargo:		60 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: Combustible liquid. Acute Toxicity. Refer to section 6-8

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to 2012/18/EU (SEVESO III): H2 ACUTE TOXIC

Additional information: P5c

##### Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

##### Additional information

The product is subject to the Chemicals Prohibition Ordinance (ChemVerbotsV). Observe the requirements and restrictions for handling and dispensing in Section 3 of the ChemVerbotsV, among others.

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:  
methanol

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s):  
1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

## Safety Data Sheet

according to UK REACH Regulation

### MorDIFF-Quick Fixative

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 12 of 14

Rev. 2,0; 30.11.2023, Individual safety data sheet based on 15583\_collect

**Safety Data Sheet**

according to UK REACH Regulation

**MorDIFF-Quick Fixative**

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 13 of 14

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
CAS Chemical Abstracts Service  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NTP: National Toxicology Program  
N/A: not applicable  
OSHA: Occupational Safety and Health Administration  
PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
SARA: Superfund Amendments and Reauthorization Act  
SVHC: substance of very high concern  
TRGS Technische Regeln fuerGefahrstoffe  
TSCA: Toxic Substances Control Act  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe  
WGK: Wassergefaehrdungsklasse  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
CAS: Chemical Abstracts Service  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
EmS: Emergency Schedules

## Safety Data Sheet

according to UK REACH Regulation

### MorDIFF-Quick Fixative

Revision date: 30.11.2023

Product code: 15583.xxxxx

Page 14 of 14

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

STOT SE: Specific target organ toxicity - single exposure

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 3; H301	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H331	Calculation method
STOT SE 1; H370	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according EC regulation 1272/2008 (CLP): -

Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*