

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Azide 2 %

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 1 of 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Sodium Azide 2 %

UFI: CR17-0155-P00H-C8HK

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent.

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH  
Street: Schumannstr. 142/144  
Place: D-63069 Offenbach  
Telephone: +49 (0) 69 / 400 3019-60      Telefax: +49 (0) 69 / 400 3019-64  
E-mail: info@morphisto.de  
Contact person: Morphisto GmbH  
E-mail: gefahrstoffmanagement@morphisto.de  
Internet: http://www.morphisto.de

### 1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Acute Tox. 3; H311  
Acute Tox. 4; H302  
Acute Tox. 4; H332  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

sodium azide

Signal word: Danger

#### Pictograms:



#### Hazard statements

H302+H332 Harmful if swallowed or if inhaled.  
H311 Toxic in contact with skin.  
H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P261 Avoid breathing Vapour.  
P264 Wash hands thoroughly after handling.  
P273 Avoid release to the environment.

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Azide 2 %

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 2 of 14

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

#### Labelling of packages where the contents do not exceed 125 ml

**Signal word:** Danger

**Pictograms:**



#### Hazard statements

H311-H412

#### Precautionary statements

P280-P361+P364

#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
26628-22-8	sodium azide			1 - < 5 %
	247-852-1	011-004-00-7	01-2119457019-37	
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410 EUH032			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
26628-22-8	247-852-1	sodium azide	1 - < 5 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: LC50 = > 0,054 - < 0,52 mg/l (dusts or mists); dermal: LD50 = 20,0 mg/kg; oral: LD50 = 27,0 mg/kg Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1		

#### Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. In

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Azide 2 %**

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 3 of 14

case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, seek medical treatment.

**After contact with eyes**

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Sand. Extinguishing powder.  
In case of major fire and large quantities: Water spray jet. Water mist.

**Unsuitable extinguishing media**

High power water jet. Carbon dioxide (CO<sub>2</sub>). Foam.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>).

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Safe handling: see section 7

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

**6.3. Methods and material for containment and cleaning up**

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Azide 2 %

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 4 of 14

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Keep container tightly closed. Keep/Store only in original container. Wear personal protection equipment. (See section 8. )

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

#### Further information on handling

General protection and hygiene measures: See section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

#### Hints on joint storage

Do not store together with: Oxidizing solids. Oxidizing liquids. Explosives. Infectious substances. Radioactive materials. Food and fodder, Peroxides. Pyrophoric solids: Substances or mixtures which, in contact with water emit flammable gases: Compressed, liquefied or gases dissolved under pressure.

#### Further information on storage conditions

Recommended storage temperature: 15-25 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

### 7.3. Specific end use(s)

See section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
26628-22-8	Sodium azide (as NaN <sub>3</sub> )	-	0.1		TWA (8 h)	WEL
		-	0.3		STEL (15 min)	WEL

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Azide 2 %

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 5 of 14

#### DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
26628-22-8	sodium azide		
Worker DNEL, long-term	dermal	systemic	0,0467 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	0,164 mg/m <sup>3</sup>

#### PNEC values

CAS No	Substance	
Environmental compartment	Value	
26628-22-8	sodium azide	
Freshwater	0,00035 mg/l	
Freshwater (intermittent releases)	mg/l	
Freshwater sediment	0,0167 mg/kg	
Marine sediment	0,00072 mg/kg	
Micro-organisms in sewage treatment plants (STP)	0,03 mg/l	

#### 8.2. Exposure controls



##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. Wear safety glasses; chemical goggles (if splashing is possible). EN 166

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time  $\geq$  8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time  $\geq$  8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Azide 2 %

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 6 of 14

#### Skin protection

Use of protective clothing. Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

exceeding exposure limit values

Insufficient ventilation.

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type B-P3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. The wearing time limitations according to GefStoffV in conjunction with the rules for the use of respiratory protective devices (BGR 190) must be observed.

#### Environmental exposure controls

Do not empty into drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value (at 20 °C):		8-9
Viscosity / kinematic:		not determined
Water solubility: (at 20 °C)		completely miscible
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1,01 g/cm <sup>3</sup>
Relative vapour density:		not determined
Particle characteristics:		not applicable

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion:

Not sustaining combustion

Self-ignition temperature

Gas:

not determined

Oxidizing properties

none

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Azide 2 %

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 7 of 14

#### Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
Solid content:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Viscosity / dynamic:	not determined
Flow time:	not determined

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No information available.

#### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

#### 10.5. Incompatible materials

Acid. Oxidizing agents, strong. Heavy metals. Aluminium.

#### 10.6. Hazardous decomposition products

 In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>).

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

##### Acute toxicity

Toxic in contact with skin.  
 Harmful if swallowed.  
 Harmful if inhaled.

##### ATEmix calculated

ATE (oral) 1350 mg/kg; ATE (dermal) 1000 mg/kg; ATE (inhalation vapour) 25,00 mg/l; ATE (inhalation dust/mist) 2,700 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
26628-22-8	sodium azide				
	oral	LD50 27,0 mg/kg	Rat.	HSDB Toxnet	
	dermal	LD50 20,0 mg/kg	Rabbit	HSDB Toxnet	
	inhalation vapour	ATE 0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 > 0,054 - < 0,52 mg/l	Rat	ECHA Dossier	EPA OPPTS 870.1300

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Azide 2 %

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 8 of 14

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

This product does not contain any substance that has endocrine disrupting properties in humans as no ingredient meets the criteria.

##### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

### SECTION 12: Ecological information

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
26628-22-8	sodium azide					
	Acute fish toxicity	LC50 mg/l	2,75	96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA Dossier OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,35	96 h	Pseudokirchneriella subcapitata	ECHA Dossier OECD Guideline 201
	Acute crustacea toxicity	EC50	4,2 mg/l	48 h	Daphnia pulex (water flea)	ECHA Dossier
	Acute bacteria toxicity	EC50 mg/l ( )	79,3	3 h	Activated sludge	ECHA Dossier OECD Guideline 209

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

The product has not been tested.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Azide 2 %**

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 9 of 14

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

**List of Wastes Code - residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**List of Wastes Code - used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 3287
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, INORGANIC, N.O.S. (Natriumazid, Lösung)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1



Classification code:	T4
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	2
Hazard No:	60
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 3287
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, INORGANIC, N.O.S. (Natriumazid, Lösung)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Azide 2 %**

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 10 of 14



Classification code: T4  
Special Provisions: 274 802  
Limited quantity: 5 L  
Excepted quantity: E1

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 3287  
**14.2. UN proper shipping name:** TOXIC LIQUID, INORGANIC, N.O.S. (sodium azide, solution)  
**14.3. Transport hazard class(es):** 6.1  
**14.4. Packing group:** III  
Hazard label: 6.1



Special Provisions: 223 274  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-A

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 3287  
**14.2. UN proper shipping name:** TOXIC LIQUID, INORGANIC, N.O.S. (sodium azide, solution)  
**14.3. Transport hazard class(es):** 6.1  
**14.4. Packing group:** III  
Hazard label: 6.1



Special Provisions: A3 A4 A137  
Limited quantity Passenger: 2 L  
Passenger LQ: Y642  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 655  
IATA-max. quantity - Passenger: 60 L  
IATA-packing instructions - Cargo: 663  
IATA-max. quantity - Cargo: 220 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Acute Toxicity. Refer to section 6-8

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):  
Entry 3

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Azide 2 %**

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 11 of 14

Directive 2010/75/EU on industrial emissions:

No information available.

Directive 2004/42/EC on VOC in paints and varnishes:

No information available.

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

Skin resorption/Sensitization:

Permeates easily through outer skin and causes poisoning.

**Additional information**

The product is subject to the Chemicals Prohibition Ordinance (ChemVerbotsV). Observe the requirements and restrictions for handling and dispensing in Section 3 of the ChemVerbotsV, among others.

**15.2. Chemical safety assessment**For the following substances of this mixture a chemical safety assessment has been carried out:  
sodium azide**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

29.10.2011; Rev. 1,00, Initial release

16.07.2014; Rev. 1.1, Revision

03.03.2015; Rev. 1.11, Changes in section: 15, 16.

13.10.2017; Rev. 2,0, Changes in section: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16

Rev. 3,0; 06.02.2024; Change of classification/labeling, Change of transport labelling

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Azide 2 %**

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 12 of 14

**Abbreviations and acronyms**

Acute Tox: Acute toxicity  
STOT RE: Specific target organ toxicity - repeated exposure  
Aquatic Acute: Acute aquatic hazard  
Aquatic Chronic: Chronic aquatic hazard  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen  
AGW: Arbeitsplatzgrenzwert  
AVV: Abfallverzeichnisverordnung  
CAS: Chemical Abstracts Service  
CLP: Classification, Labelling and Packaging of substances and mixtures  
DNEL: Derived No Effect Level  
d: day(s)  
EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung  
EINECS: European INventory of Existing Commercial chemical Substances  
ELINCS: European List of Notified Chemical Substances  
ECHA: European Chemicals Agency  
EWC: European Waste Catalogue  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
h: hour  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NLP: No-Longer Polymers  
N/A: not applicable  
OECD: Organisation for Economic Co-operation and Development  
PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
REACH: Registration, Evaluation, Authorisation of Chemicals  
SVHC: substance of very high concern  
TRGS Technische Regeln fuer Gefahrstoffe  
UN: United Nations  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
EC/EEC: European Community/European Economic Community  
EU: European Union  
CAS: Chemical Abstracts Service  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Azide 2 %**

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 13 of 14

PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 M-factor: Multiplying factor  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 DGR: Dangerous Goods Regulations  
 ICAO: International Civil Aviation Organization  
 TI: Technical Instructions  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: volatile organic compound  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Acute Tox. 3; H311	Calculation method
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H300	Fatal if swallowed.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:  
 Health hazards: Calculation method.

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Azide 2 %

Revision date: 06.02.2024

Product code: 13741.xxxxx

Page 14 of 14

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*