

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Hypochlorite 3 %

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Sodium Hypochlorite 3 %

UFI: 710H-T1KD-Y00Y-XWQY

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Use as laboratory reagent. Intended for scientific research and development.

###### Uses advised against

Any non-intended use.

##### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH  
Street: Schumannstr. 142/144  
Place: D-63069 Offenbach  
Telephone: +49 (0) 69 / 400 3019-60      Telefax: +49 (0) 69 / 400 3019-64  
E-mail: info@morphisto.de  
Contact person: Morphisto GmbH  
E-mail: gefahrstoffmanagement@morphisto.de  
Internet: http://www.morphisto.de

##### 1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Skin Corr. 1; H314  
Eye Dam. 1; H318  
Aquatic Acute 1; H400  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

sodium hypochlorite

Signal word: Danger

###### Pictograms:



###### Hazard statements

H314 Causes severe skin burns and eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

###### Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Hypochlorite 3 %**

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 2 of 11

P305+P351+P338 water or shower.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

**Labelling of packages where the contents do not exceed 125 ml**
**Signal word:** Danger

**Pictograms:**

**Hazard statements**

H314

**Precautionary statements**

P260-P280-P303+P361+P353-P305+P351+P338-P310

**2.3. Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

aqueous solution

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7681-52-9	sodium hypochlorite			1 - < 5 %
	231-668-3	017-011-00-1	01-2119488154-34	
	Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H314 H318 H400 H410 EUH031			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7681-52-9	231-668-3	sodium hypochlorite	1 - < 5 %
	dermal: LD50 = 20000 mg/kg; oral: LD50 = 1100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 EUH; EUH031: >= 5 - 100		

**Further Information**

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

**SECTION 4: First aid measures**

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Hypochlorite 3 %**

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 3 of 11

**4.1. Description of first aid measures****General information**

Remove affected person from the danger area and lay down. Remove person to fresh air and keep comfortable for breathing. First aider: Pay attention to self-protection! Take off immediately all contaminated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

**After inhalation**

Provide fresh air. Medical treatment necessary. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. When in doubt or if symptoms are observed, get medical advice.

**After contact with skin**

If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. When in doubt or if symptoms are observed, get medical advice.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Do not allow a neutralisation agent to be drunk. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

May cause irritation. Mucous membrane irritation after eye contact or inhalation. Irritation and etching. Frequently or prolonged contact with skin may cause dermal irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. No specific antidote known.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder. Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

Strong water jet

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Chlorine (Cl<sub>2</sub>). Hydrogen chloride (HCl).

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Move undamaged containers from immediate hazard area if it can be done safely.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Avoid all contact with the substance. Avoid: generation/formation of aerosols

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Hypochlorite 3 %**

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 4 of 11

**For non-emergency personnel**

Clear danger zone. Follow emergency plan. Consult an expert.

**For emergency responders**

Move undamaged containers from immediate hazard area if it can be done safely.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Avoid release to the environment. Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**For cleaning up**

Take up carefully when dry. Treat the recovered material as prescribed in the section on waste disposal.

**Other information**

Clear contaminated areas thoroughly.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Wear personal protection equipment (refer to section 8).

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Draw up and observe skin protection programme.

**Further information on handling**

The usual precautions for handling chemicals should be considered. Avoid contact with skin, eyes and clothes. Take off contaminated clothing and wash it before reuse. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Draw up and observe skin protection programme.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep cool. No metal containers.

**Hints on joint storage**

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: food and feed. pharmaceuticals. Infectious substances. Radioactive substances. Explosive substances. Oxidizing substances. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Pyrophoric solids. Substances which in contact with water form flammable gases. Ammonium nitrate and preparations containing ammonium nitrate.

**Further information on storage conditions**

Protect from light. Keep away from heat.  
storage temperature 15-25 °C

**7.3. Specific end use(s)**

Use as laboratory reagent.

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Hypochlorite 3 %**

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 5 of 11

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**
**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7681-52-9	sodium hypochlorite			
	Worker DNEL, long-term	inhalation	systemic	1,55 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	systemic	3,1 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	local	0,5 %
	Consumer DNEL, long-term	inhalation	local	1,55 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	systemic	3,1 mg/m <sup>3</sup>
	Consumer DNEL, long-term	oral	systemic	0,26 mg/kg bw/day
1310-73-2	Sodium hydroxide			
	Worker DNEL, long-term	inhalation	local	1 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	local	1 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	Value
7681-52-9	sodium hypochlorite	
	Freshwater	0,00021 mg/l
	Marine water	0,000042 mg/l
	Secondary poisoning	11,1 mg/kg
	Micro-organisms in sewage treatment plants (STP)	4,69 mg/l

**8.2. Exposure controls**

**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations. Provide washing facilities at the workplace, provide an eye shower or eyewash bottle and mark them.

**Individual protection measures, such as personal protective equipment**
**Eye/face protection**

Suitable eye protection: goggles. Safety goggles with side protection. In case of increased risk add protective face shield. Safety glasses according to EN 166.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Hypochlorite 3 %

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 6 of 11

specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protective gloves according to EN 374. Suitable glove material also for longer, direct contact:

- PVC (Polyvinyl chloride). Layer thickness 0,7
- NBR (Nitrile rubber). Layer thickness 0,4
- CR (polychloroprenes, Chloroprene rubber). Layer thickness 0,5
- Butyl rubber. Layer thickness 0,7
- fluoroelastomer (FKM). Layer thickness 0,7
- Breakthrough time (maximum wearing time): >480 min.

#### Skin protection

Use of protective clothing. Personal protective equipment must be determined according to the quantity and concentration of hazardous substances at the workplace. Wear solvent-resistant protective clothing. Safety shoes according to EN 345-347.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.  
 Recommended material: Combination filtering device (EN 14387), Type A/ABEK2-P2.

#### Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless, clear	
Odour:	weak nach Chlorine (Cl <sub>2</sub> ).	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value (at 20 °C):		11-12
Viscosity / kinematic:		not determined
Water solubility:		easily soluble
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		23 hPa
(at 20 °C)		
Density (at 20 °C):		1,01 g/cm <sup>3</sup>
Relative vapour density:		not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

Vapours can form explosive mixtures with air. The product is not: Explosive.

Sustaining combustion: Not sustaining combustion

##### Self-ignition temperature

Solid: not applicable

Gas: not applicable

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Hypochlorite 3 %

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 7 of 11

Oxidizing properties

Not oxidising.

**Other safety characteristics**

Evaporation rate:

not determined

#### SECTION 10: Stability and reactivity

**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

Decomposes when heated, releasing oxygen, dichloroxide, chlorine or hydrogen chloride. Corrosive to metals.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

Decomposes when heated, releasing oxygen, dichloroxide, chlorine or hydrogen chloride.

**10.3. Possibility of hazardous reactions**

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

**10.4. Conditions to avoid**

Keep away from: Heat. UV-radiation/sunlight. Frost

**10.5. Incompatible materials**

Protect against: Contact with air/oxygen. Keep away from: Acid, Oxidizing agent, Peroxides.

**10.6. Hazardous decomposition products**

Resulting from the use of the product: Chlorine. Decomposes when heated, releasing oxygen, dichloroxide, chlorine or hydrogen chloride.

#### SECTION 11: Toxicological information

**11.1. Information on hazard classes as defined in GB CLP Regulation**
**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7681-52-9	sodium hypochlorite				
	oral	LD50 mg/kg	1100	Rat	suppliers SDS.
	dermal	LD50 mg/kg	20000	Rabbit	suppliers SDS.

**Irritation and corrosivity**

Causes severe skin burns and eye damage. (On basis of test data)

Causes serious eye damage. (On basis of test data)

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to UK REACH Regulation

### Sodium Hypochlorite 3 %

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 8 of 11

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### SECTION 12: Ecological information

#### 12.1. Toxicity

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7681-52-9	sodium hypochlorite					
	Acute fish toxicity	LC50 mg/l	0,06	96 h	Oncorhynchus mykiss (Rainbow trout)	suppliers SDS.
	Acute algae toxicity	ErC50 mg/l	0,036	72 h		suppliers SDS.
	Acute crustacea toxicity	EC50 mg/l	0,141	48 h	Daphnia magna (Big water flea)	suppliers SDS.
	Fish toxicity	NOEC mg/l	0,04	28 d	Menidia peninsulae (tidal silverside)	suppliers SDS.
	Crustacea toxicity	NOEC mg/l	0,007	15 d	American oyster (Crassostrea virginica)	suppliers SDS.
	Acute bacteria toxicity	(EC50	>3 mg/l)	3 h	Activated sludge	suppliers SDS.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7681-52-9	sodium hypochlorite	-3,42

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

The product has not been tested.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste



**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Hypochlorite 3 %**

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 9 of 11

according to applicable legislation. Consult the local waste disposal expert about waste disposal. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information**
**Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1791  
**14.2. UN proper shipping name:** HYPOCHLORITE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Classification code: C9  
 Special Provisions: 521  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 Transport category: 3  
 Hazard No: 80  
 Tunnel restriction code: E

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1791  
**14.2. UN proper shipping name:** HYPOCHLORITE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Marine pollutant: P  
 Special Provisions: 223 274 900  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-B  
 Segregation group: 8 - hypochlorites

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1791  
**14.2. UN proper shipping name:** HYPOCHLORITE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Special Provisions: A3 A803  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y841

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Hypochlorite 3 %**

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 10 of 11

Excepted quantity:	E1	
IATA-packing instructions - Passenger:		852
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		856
IATA-max. quantity - Cargo:		60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: sodium hypochlorite

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

No information available.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU (SEVESO III): E1 Hazardous to the Aquatic Environment

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**15.2. Chemical safety assessment**For the following substances of this mixture a chemical safety assessment has been carried out:  
sodium hypochlorite**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2,11,12,16.

Rev. 2,0; 06.12.2022; Individual safety data sheet based on 14395\_collect

Rev. 2,1; 22.05.2023; general adjustment(s)

Rev. 2,2; 01.06.2023; general adjustment(s)

Rev. 3,0; 29.06.2023; revision of the classification

**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

**Safety Data Sheet**

according to UK REACH Regulation

**Sodium Hypochlorite 3 %**

Revision date: 29.06.2023

Product code: 16971.xxxxx

Page 11 of 11

EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

**Relevant H and EUH statements (number and full text)**

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*