

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Cleaning Solution for Optics

UFI: M7J1-T1CS-D00P-M97F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaner

The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach
Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64
E-mail: info@morphisto.de
Contact person: Morphisto GmbH
E-mail: gefahrstoffmanagement@morphisto.de
Internet: http://www.morphisto.de

1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225
Asp. Tox. 1; H304
Skin Irrit. 2; H315
Eye Irrit. 2; H319
Repr. 2; H361f
STOT SE 3; H336
STOT RE 2; H373
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements


GB CLP Regulation

Hazard components for labelling

n-hexane
2-propanol

Signal word: Danger

Pictograms:



Hazard statements

H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx


Page 2 of 14

| | |
|-------|--|
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H361f | Suspected of damaging fertility. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements

| | |
|-----------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P260 | Do not breathe mist/vapours/spray. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. |
| P331 | Do NOT induce vomiting. |
| P391 | Collect spillage. |

Labelling of packages where the contents do not exceed 125 ml
Signal word: Danger

Pictograms:

Hazard statements

H304-H361f

Precautionary statements

P280-P301+P310-P331

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

| CAS No | Chemical name | | | Quantity |
|----------|---|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 110-54-3 | n-hexane | | | 80 - < 85 % |
| | 203-777-6 | 601-037-00-0 | 01-2119480412-44 | |
| | Flam. Liq. 2, Repr. 2, Skin Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 2; H225 H361f H315 H336 H373 H304 H411 | | | |
| 67-63-0 | 2-propanol | | | 15 - < 20 % |
| | 200-661-7 | 603-117-00-0 | 01-2119457558-25 | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 | | | |

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|-----------|---|-------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 110-54-3 | 203-777-6 | n-hexane | 80 - < 85 % |
| | | inhalation: LC50 = 259,3 mg/l (vapours); dermal: LD50 = >3350 mg/kg; oral: LD50 = 16000 mg/kg STOT RE 2; H373: >= 5 - 100 | |
| 67-63-0 | 200-661-7 | 2-propanol | 15 - < 20 % |
| | | dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg | |

Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Remove contaminated, saturated clothing immediately.

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. If unconscious but breathing normally, place in recovery position and seek medical advice. If breathing is irregular or stopped, administer artificial respiration. Where appropriate artificial ventilation. Call a physician immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Remove contaminated, saturated clothing immediately. Gently wash with plenty of soap and water. Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Observe risk of aspiration if vomiting occurs. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Observe risk of aspiration if vomiting occurs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder

In case of major fire and large quantities: alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO₂).

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 4 of 14

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fight fire remotely due to the risk of explosion.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Ventilate affected area. Remove persons to safety.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Discharge into the environment must be avoided. Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up**For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaust at critical locations.

Personal protection equipment (See section 8.)

Avoid exposure - obtain special instructions before use.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Flammable vapours can accumulate in head space of closed systems. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep away from heat, hot surfaces,

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 5 of 14

sparks, open flames and other ignition sources. No smoking. Keep/Store only in original container.

Make sure spills can be contained (e.g. sump pallets or kerbed areas).

Store small packages in a suitable, robust cabinet.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances or mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. Ammonium nitrate and preparations containing ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 15-25 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|----------|-------------|-----|-------------------|-----------|---------------|--------|
| 110-54-3 | n-Hexane | 20 | 72 | | TWA (8 h) | WEL |
| 67-63-0 | Propan-2-ol | 400 | 999 | | TWA (8 h) | WEL |
| | | 500 | 1250 | | STEL (15 min) | WEL |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|----------|--------------------------|----------------|----------|-----------------------|
| 110-54-3 | n-hexane | | | |
| | Worker DNEL, long-term | inhalation | systemic | 75 mg/m ³ |
| 67-63-0 | 2-propanol | | | |
| | Worker DNEL, long-term | inhalation | systemic | 500 mg/m ³ |
| | Consumer DNEL, long-term | inhalation | systemic | 89 mg/m ³ |
| | Worker DNEL, long-term | dermal | systemic | 888 mg/kg bw/day |
| | Consumer DNEL, long-term | oral | systemic | 26 mg/kg bw/day |
| | Consumer DNEL, long-term | dermal | systemic | 319 mg/kg bw/day |

PNEC values

| CAS No | Substance | Value |
|---------|---------------------|------------|
| 67-63-0 | 2-propanol | |
| | Freshwater | 140,9 mg/l |
| | Marine water | 140,9 mg/l |
| | Freshwater sediment | 552 mg/kg |
| | Marine sediment | 552 mg/kg |
| | Secondary poisoning | 160 mg/kg |
| | Soil | 28 mg/kg |

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 6 of 14

8.2. Exposure controls**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Suitable eye protection: goggles. Eye glasses with side protection EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber.

Suitable material:

NBR (Nitrile rubber) (0,35 mm)

FKM (fluoro rubber) (0,4 mm)

(penetration time (maximum wearing period): ≥ 8 h)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Protective clothing. (flame-retardant)

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Insufficient ventilation.

exceeding exposure limit values

generation/formation of aerosols

Suitable respiratory protective equipment: Combination filtering device (EN 14387) - Type AP-2/3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|-----------------|----------------|
| Physical state: | liquid |
| Colour: | colourless |
| Odour: | characteristic |

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 7 of 14

| | |
|---|------------------------|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | not determined |
| Flammability: | not determined |
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |
| Flash point: | n-Hexane: -22 °C |
| Auto-ignition temperature: | n-Hexane: 230 °C |
| Decomposition temperature: | not determined |
| pH-Value: | not determined |
| Viscosity / kinematic: | not determined |
| Water solubility: | not determined |
| Solubility in other solvents | |
| miscible. | |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: | n-Hexane: 162 hPa |
| (at 20 °C) | |
| Vapour pressure: | n-Hexane: 540 hPa |
| (at 50 °C) | |
| Density (at 20 °C): | 0,68 g/cm ³ |
| Relative vapour density: | not determined |
| Particle characteristics: | not applicable |

9.2. Other information
Information with regard to physical hazard classes
Explosive properties

The product is not: Explosive. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Sustaining combustion:

Sustaining combustion

Oxidizing properties

none

Other safety characteristics
Solid content:

not determined

Viscosity / dynamic:

not determined

(at 25 °C)

Flow time:

not determined

SECTION 10: Stability and reactivity
10.1. Reactivity

Highly flammable

10.2. Chemical stability

The product is stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat. Protect from direct sunlight.

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

10.5. Incompatible materials

Oxidising agent, Strong acid

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 8 of 14

10.6. Hazardous decomposition products

 In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO₂).

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in GB CLP Regulation
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|----------|-------------------------|------------------|---------|----------------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 110-54-3 | n-hexane | | | | |
| | oral | LD50 16000 mg/kg | Rat | suppliers SDS. | |
| | dermal | LD50 >3350 mg/kg | Rabbit | suppliers SDS. | |
| | inhalation (4 h) vapour | LC50 259,3 mg/l | Rat | suppliers SDS. | |
| 67-63-0 | 2-propanol | | | | |
| | oral | LD50 >5000 mg/kg | Rat | ECHA Dossier | |
| | dermal | LD50 >5000 mg/kg | Rabbit | ECHA Dossier | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging fertility. (n-hexane)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (n-hexane)

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (n-hexane)

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards
Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 9 of 14

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

| CAS No | Chemical name | | | | | |
|----------|--------------------------|-------|-------------|---------|-------------------------|--------------------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 110-54-3 | n-hexane | | | | | |
| | Acute fish toxicity | LL50 | 12 mg/l | 96 h | Pimephales promelas | ECHA |
| 67-63-0 | 2-propanol | | | | | |
| | Acute fish toxicity | LC50 | 9640 mg/l | 96 h | Pimephales promelas | ECHA Dossier |
| | Acute algae toxicity | ErC50 | 1800 mg/l | 96 h | Scenedesmus quadricauda | ECHA Dossier |
| | Acute crustacea toxicity | EC50 | >10000 mg/l | 48 h | Daphnia magna (24h) | ECHA Dossier |
| | | | | | | OECD Guideline 203 |
| | | | | | | OECD Guideline 202 |

12.2. Persistence and degradability

The product has not been tested.

| CAS No | Chemical name | | | | |
|---------|---|-------|---|--------------|--|
| | Method | Value | d | Source | |
| | Evaluation | | | | |
| 67-63-0 | 2-propanol | | | | |
| | EU Method C.5/ EU Method C.6 | 53% | 5 | ECHA Dossier | |
| | Easily biodegradable (concerning to the criteria of the OECD) | | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|---------------|---------|
| 110-54-3 | n-hexane | 3,94 |
| 67-63-0 | 2-propanol | 0,05 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 10 of 14

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded organic chemicals consisting of or containing hazardous substances; hazardous waste

List of Wastes Code - used product

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded organic chemicals consisting of or containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information
Land transport (ADR/RID)

14.1. UN number or ID number: UN 1993
14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (n-Hexane, Isopropanol)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Classification code: F1
 Special Provisions: 274 601 640D
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 33
 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1993
14.2. UN proper shipping name: @1993010x (n-Hexane, Isopropanol)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Classification code: F1
 Special Provisions: 274 601 640D
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1993
14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (n-hexane, isopropanol)

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 11 of 14

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Special Provisions: 274

Limited quantity: 1 L

Excepted quantity: E2

EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (n-hexane, isopropanol)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Special Provisions: A3

Limited quantity Passenger: 1 L

Passenger LQ: Y341

Excepted quantity: E2

IATA-packing instructions - Passenger: 353

IATA-max. quantity - Passenger: 5 L

IATA-packing instructions - Cargo: 364

IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: n-Hexane

14.6. Special precautions for user

Warning: Combustible liquid. Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

Additional information: P5c

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 12 of 14

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

n-hexane

2-propanol

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Rev. 1.0; 02.09.2016, Neuerstellung

Rev. 2.0; 16.10.2023; general adjustment(s)

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 13 of 14

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dosis, 50 percent

NOAEL: No observed effect Level

DNEL: Derived No Effect Level

PNEC: predicted no effect concentration

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Flam. Liq: Flammable liquids

Asp. Tox: Aspiration hazard

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

Safety Data Sheet

according to UK REACH Regulation

Cleaning Solution for Optics

Revision date: 16.10.2023

Product code: 11755.xxxxx

Page 14 of 14

Repr: Reproductive toxicity
 STOT SE: Specific target organ toxicity - single exposure
 STOT RE: Specific target organ toxicity - repeated exposure
 Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Asp. Tox. 1; H304 | Calculation method |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Repr. 2; H361f | Calculation method |
| STOT SE 3; H336 | Calculation method |
| STOT RE 2; H373 | Calculation method |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|-------|--|
| H225 | Highly flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H361f | Suspected of damaging fertility. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)