

## Safety Data Sheet

according to UK REACH Regulation

### Hydrochloric Acid 15 %

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Hydrochloric Acid 15 %

UFI: DUJF-513Y-8004-93MR

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

laboratory reagent. Intended for scientific research and development.

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
E-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
E-mail:	gefahrstoffmanagement@morphisto.de	
Internet:	http://www.morphisto.de	

### 1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Met. Corr. 1; H290  
Skin Irrit. 2; H315  
Eye Irrit. 2; H319  
STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

hydrochloric acid %

Signal word: Warning

#### Pictograms:



#### Hazard statements

H290	May be corrosive to metals.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

#### Precautionary statements

P234	Keep only in original packaging.
P261	Avoid breathing Vapour.

## Safety Data Sheet

according to UK REACH Regulation

### Hydrochloric Acid 15 %

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 2 of 11

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7647-01-0	hydrochloric acid ... %			15 - < 20 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7647-01-0	231-595-7	hydrochloric acid ... %	15 - < 20 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100		

##### Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Take off contaminated clothing and wash it before reuse.

##### After inhalation

Provide fresh air. Medical treatment necessary. In case of respiratory tract irritation, consult a physician.

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 15 %**

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 3 of 11

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. In case of skin irritation, seek medical treatment.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get medical advice/attention.

**4.2. Most important symptoms and effects, both acute and delayed**

May cause irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. alcohol resistant foam. Atomized water.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. In case of fire may be liberated: Hydrogen chloride (HCl). The product itself does not burn.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Ventilate affected area. See protective measures under point 7 and 8.

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

**For non-emergency personnel**

Clear danger zone. Follow emergency plan. Consult an expert.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**6.3. Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Suitable material for diluting or neutralizing: caustic soda, diluted.

## Safety Data Sheet

according to UK REACH Regulation

### Hydrochloric Acid 15 %

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 4 of 11

Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clear contaminated areas thoroughly.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin, eyes and clothes. Use extractor hood (laboratory). Always close containers tightly after the removal of product.

#### Advice on protection against fire and explosion

The product is not: Combustible. Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

#### Further information on handling

When using do not eat, drink, smoke, sniff. Wear suitable protective clothing. Take off contaminated clothing and wash it before reuse. Street clothing should be stored separately from work clothing. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme. Ensure cleanliness and dryness in the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Unsuitable container/equipment material:

Metal. Suitable material for Container: polyethylene. Glass.

#### Hints on joint storage

Do not store together with: Peroxides. Radioactive substances. Infectious substances. Oxidizing solids.

Oxidizing liquids. Food and fodder.

#### Further information on storage conditions

Protect from direct sunlight. Recommended storage temperature: 15-25°C.

### 7.3. Specific end use(s)

See section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

### 8.2. Exposure controls

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 15 %**

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 5 of 11


**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory). Provide washing facilities at the workplace, provide an eye shower or eyewash bottle and mark them.

**Individual protection measures, such as personal protective equipment**
**Eye/face protection**

Suitable eye protection: goggles. Tightly sealed safety glasses. EN 166

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374

Suitable material:

(penetration time (maximum wearing period):  $\geq 8$  h):

Butyl rubber. (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

Protective clothing should be selected, depending on concentration and quantity of the hazardous substance.

The chemical resistance of the products should be discussed with suppliers.

Before using check leak tightness / impermeability.

**Skin protection**

Use of protective clothing. Material, acid-resistant, Lab apron.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at:  
exceeding exposure limit values

Insufficient ventilation.

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type: E/P2 Identification color: yellow.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

**Environmental exposure controls**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 9: Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	colourless	
Odour:	stinging	
Melting point/freezing point:		ca. 0 °C
Boiling point or initial boiling point and boiling range:		56,1 °C
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 15 %**

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 6 of 11

Decomposition temperature:	not determined
pH-Value (at 20 °C):	1-1,2
Viscosity / kinematic:	not determined
Water solubility: (at 20 °C)	miscible.
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	190 hPa
Density (at 20 °C):	1,07 g/cm <sup>3</sup>
Relative vapour density:	not determined
Particle characteristics:	not applicable

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Sustaining combustion:

Not sustaining combustion

Oxidizing properties

none

**Other safety characteristics**

Evaporation rate:

not determined

**Further Information**

No information available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Corrosive to metals. Possibility of hazardous reactions.

**10.2. Chemical stability**

Stable under normal storage and handling conditions.

**10.3. Possibility of hazardous reactions**

Exothermic reaction with: Base, Peroxides, Oxidizing agent. Reacts with metals: Formation of hydrogen

**10.4. Conditions to avoid**

heat. UV-radiation/sunlight.

**10.5. Incompatible materials**

Metal. Keep away from: Base, Oxidizing agent, Peroxides.

Oxidizing agents, strong. Nitric acid. aldehydes. strong alkalis. Formaldehyde Aluminium. metal. Fluorine. Amines.

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Hydrogen chloride (HCl).

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 15 %**

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 7 of 11

**Irritation and corrosivity**

Causes skin irritation.  
Causes serious eye irritation.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation. (hydrochloric acid ... %)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards**
**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**Other information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information**
**12.1. Toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7647-01-0	hydrochloric acid ... %					
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus	

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

The Product is not acutely harmful with a high probability to aquatic organisms. At higher pH values, as they occur naturally in water, an increase in toxicity to aquatic organisms is expected.

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations**
**13.1. Waste treatment methods**

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 15 %**

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 8 of 11

**Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Hazardous waste according to Directive 2008/98/EC (waste framework directive). Consult the local waste disposal expert about waste disposal. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

**List of Wastes Code - residues/unused products**

060102 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of acids; hydrochloric acid; hazardous waste

**List of Wastes Code - used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

**SECTION 14: Transport information**
**Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Classification code: C1  
 Special Provisions: 520  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 Transport category: 3  
 Hazard No: 80  
 Tunnel restriction code: E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Classification code: C1  
 Special Provisions: 520  
 Limited quantity: 5 L  
 Excepted quantity: E1



**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 15 %**

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 9 of 11

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Special Provisions: 223  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Special Provisions: A3 A803  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y841  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 852  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 856  
 IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive. Refer to section 6-8

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 15 %**

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 10 of 11

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

For the following substances of this mixture a chemical safety assessment has been carried out:  
hydrochloric acid ... %

**SECTION 16: Other information****Changes**

23.07.2013; Rev 1.00 Initial release  
15.08.2014; Rev 1.01  
09.09.2016; Rev. 1.1, Changes in chapter: 1, 16  
15.07.2021; Rev. 1,2, Revision.  
Rev. 2,0; 26.07.2023; general adjustment(s)

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

OSHA: Occupational Safety and Health Administration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

LOAEL: Lowest observed adverse effect level

NOAEC: No observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

DNEL: Derived No Effect Level

PNEC: predicted no effect concentration

TSCA: Toxic Substances Control Act

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

NTP: National Toxicology Program

SARA: Superfund Amendments and Reauthorization Act

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

PBT: Persistent bioaccumulative toxic

SVHC: substance of very high concern

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 15 %**

Revision date: 26.07.2023

Product code: 16456.xxxxx

Page 11 of 11

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
assessment, chapter R.20 (Table of terms and abbreviations).**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H335	Calculation method

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*