

## Safety Data Sheet

according to UK REACH Regulation

### Hydrochloric Acid 10 % for Iron Detection

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Hydrochloric Acid 10 % for Iron Detection

UFI: W2N1-H14V-H000-FJFK

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

laboratory reagent. Intended for scientific research and development.

###### Uses advised against

Any non-intended use.

##### 1.3. Details of the supplier of the safety data sheet

Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
e-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
e-mail:	gefahrstoffmanagement@morphisto.de	
Internet:	http://www.morphisto.de	

##### 1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Met. Corr. 1; H290  
Skin Irrit. 2; H315  
Eye Irrit. 2; H319  
STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

hydrochloric acid %

Signal word: Warning

###### Pictograms:



###### Hazard statements

H290	May be corrosive to metals.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

###### Precautionary statements

P234	Keep only in original packaging.
P261	Avoid breathing Vapour.

## Safety Data Sheet

according to UK REACH Regulation

### Hydrochloric Acid 10 % for Iron Detection

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 2 of 11

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

aqueous solution:Hydrochloric acid.

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7647-01-0	hydrochloric acid %			10 - < 15 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7647-01-0	231-595-7	hydrochloric acid %	10 - < 15 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100		

##### Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Take off contaminated clothing and wash it before reuse.

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 10 % for Iron Detection**

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 3 of 11

**After inhalation**

Provide fresh air. In case of respiratory tract irritation, consult a physician.

**After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin irritation, seek medical treatment.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get medical advice/attention.

**4.2. Most important symptoms and effects, both acute and delayed**

May cause irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. alcohol resistant foam. Atomized water.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. In case of fire may be liberated: Hydrogen chloride (HCl). The product itself does not burn.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Ventilate affected area. Wear personal protection equipment. See protective measures under point 7 and 8.

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

**For non-emergency personnel**

Clear danger zone. Follow emergency plan. Consult an expert.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**6.3. Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## Safety Data Sheet

according to UK REACH Regulation

### Hydrochloric Acid 10 % for Iron Detection

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 4 of 11

Suitable material for diluting or neutralizing: Water., caustic soda, diluted.  
Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clear contaminated areas thoroughly.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin, eyes and clothes. Use extractor hood (laboratory). Always close containers tightly after the removal of product.

##### Advice on protection against fire and explosion

The product is not: Combustible. Usual measures for fire prevention.

##### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

##### Further information on handling

When using do not eat, drink, smoke, sniff. Wear suitable protective clothing. Take off contaminated clothing and wash it before reuse. Street clothing should be stored separately from work clothing. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme. Ensure cleanliness and dryness in the workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal. Suitable material for Container: polyethylene. Glass.

##### Hints on joint storage

Do not store together with: Peroxides. Radioactive substances. Infectious substances. Oxidizing solids. Oxidizing liquids. Food and fodder.

##### Further information on storage conditions

Protect from direct sunlight. Recommended storage temperature: 15-25°C.

#### 7.3. Specific end use(s)

See section 1.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

#### 8.2. Exposure controls

## Safety Data Sheet

according to UK REACH Regulation

### Hydrochloric Acid 10 % for Iron Detection

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 5 of 11

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory). Provide washing facilities at the workplace, provide an eye shower or eyewash bottle and mark them.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. Tightly sealed safety glasses. EN 166

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374

Suitable material:

(penetration time (maximum wearing period):  $\geq$  8 h):

Butyl rubber. (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

Protective clothing should be selected, depending on concentration and quantity of the hazardous substance.

The chemical resistance of the products should be discussed with suppliers.

Before using check leak tightness / impermeability.

##### Skin protection

Use of protective clothing. Material, acid-resistant, Lab apron.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: exceeding exposure limit values

Insufficient ventilation.

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type: E/P2 Identification color: yellow.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

##### Environmental exposure controls

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Odour:	stinging	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value (at 20 °C):		0-1
Viscosity / kinematic:		not determined

## Safety Data Sheet

according to UK REACH Regulation

### Hydrochloric Acid 10 % for Iron Detection

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 6 of 11

Water solubility: miscible.  
(at 20 °C)  
Solubility in other solvents  
not determined  
Vapour pressure: not determined  
Density (at 20 °C): 1,00 - 1,02 g/cm<sup>3</sup>

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Sustaining combustion:

Not sustaining combustion

Oxidizing properties

none

##### **Further Information**

No information available.

### **SECTION 10: Stability and reactivity**

#### **10.1. Reactivity**

Corrosive to metals. Possibility of hazardous reactions.

#### **10.2. Chemical stability**

Stable under normal storage and handling conditions.

#### **10.3. Possibility of hazardous reactions**

Exothermic reaction with: Base, Peroxides, Oxidizing agent. Reacts with metals: Formation of hydrogen

#### **10.4. Conditions to avoid**

heat. UV-radiation/sunlight.

#### **10.5. Incompatible materials**

Metal. Keep away from: Base, Oxidizing agent, Peroxides.

Oxidizing agents, strong. Nitric acid. aldehydes. strong alkalis. Formaldehyde Aluminium. metal. Fluorine.

Amines.

#### **10.6. Hazardous decomposition products**

In case of fire may be liberated: Hydrogen chloride (HCl).

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in GB CLP Regulation**

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

##### **Irritation and corrosivity**

Causes skin irritation.

Causes serious eye irritation.

##### **Sensitising effects**

Based on available data, the classification criteria are not met.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

##### **STOT-single exposure**

May cause respiratory irritation. (hydrochloric acid %)

##### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 10 % for Iron Detection**

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 7 of 11

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

The Product is not acutely harmful with a high probability to aquatic organisms. At higher pH values, as they occur naturally in water, an increase in toxicity to aquatic organisms is expected.

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Hazardous waste according to Directive 2008/98/EC (waste framework directive). Consult the local waste disposal expert about waste disposal. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

**List of Wastes Code - residues/unused products**

060102 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of acids; hydrochloric acid; hazardous waste

**List of Wastes Code - used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 10 % for Iron Detection**

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 8 of 11

**SECTION 14: Transport information**
**Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Classification code: C1  
 Special Provisions: 520  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 Transport category: 3  
 Hazard No: 80  
 Tunnel restriction code: E

**Other applicable information (land transport)**

Excepted quantity: E1

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Special Provisions: 223  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-B

**Other applicable information (marine transport)**

Excepted quantity: E1

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Special Provisions: A3 A803  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y841  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 852  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 856



**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 10 % for Iron Detection**

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 9 of 11

IATA-max. quantity - Cargo: 60 L

**Other applicable information (air transport)**

Excepted quantity: E1

Passenger-LQ: Y841

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive. Refer to section 6-8

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**For the following substances of this mixture a chemical safety assessment has been carried out:  
hydrochloric acid %**SECTION 16: Other information****Changes**

Rev. 2,0; 02.06.2023; Individual safety data sheet based on 11788\_collect.xxxxx

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

OSHA: Occupational Safety and Health Administration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

LOAEL: Lowest observed adverse effect level

NOAEC: No observed adverse effect level

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 10 % for Iron Detection**

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 10 of 11

LOAEC: Lowest observed adverse effect concentration  
 DNEL: Derived No Effect Level  
 PNEC: predicted no effect concentration  
 TSCA: Toxic Substances Control Act  
 IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
 NTP: National Toxicology Program  
 SARA: Superfund Amendments and Reauthorization Act  
 GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
 PBT: Persistent bioaccumulative toxic  
 SVHC: substance of very high concern  
 CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H335	Calculation method

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

**Safety Data Sheet**

according to UK REACH Regulation

**Hydrochloric Acid 10 % for Iron Detection**

Revision date: 02.06.2023

Product code: 11788.xxxxx

Page 11 of 11

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*