Print date: 28.11.2023



Safety Data Sheet

according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sulphuric acid 1.0 mol/l (~ 10 %)

CGK4-J17N-Q002-X429

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH Street: Schumannstr. 142/144 D-63069 Offenbach Place:

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

1.4. Emergency telephone Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Skin Irrit. 2: H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Warning

Pictograms:



Hazard statements

H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements

P234 Keep only in original packaging.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

If skin irritation occurs: Get medical advice/attention. P332+P313 P337+P313 If eye irritation persists: Get medical advice/attention. P390 Absorb spillage to prevent material damage.

Labelling of packages where the contents do not exceed 125 ml



according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 2 of 12

Signal word: Warning

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1% or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7664-93-9	sulphuric acid%	sulphuric acid%		
	231-639-5	016-020-00-8		
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7664-93-9	231-639-5	sulphuric acid%	5 - < 10 %
	oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15		

Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Remove contaminated, saturated clothing.

After inhalation

Provide fresh air. In case of accident by inhalation: remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer artificial respiration. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Let water be drunken in little sips



according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 3 of 12

(dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

refer to section 2 and 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide. Extinguishing powder. Water spray. alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn.

In case of fire may be liberated: Gases/vapours, irritant, Sulphur oxides

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Ventilate affected area.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Collect in closed containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.Personal protection equipment (See section 8.)



according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 4 of 12

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. The usual precautions for handling chemicals should be considered. Always close containers tightly after the removal of product.

Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal. Keep/Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

Further information on storage conditions

Protect against: frost. UV-radiation/sunlight. heat. Cold Humidity

storage temperature: 15-25 °C

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7664-93-9	sulphuric acid%					
Worker DNEL, long-term inhalation local 0,05 mg/m³				0,05 mg/m³		
Worker DNEL, acute		inhalation	local	0,1 mg/m³		

PNEC values

CAS No	Substance		
Environmental compartment Value			
7664-93-9 sulphuric acid%			
Freshwater 0,003 mg/l			
Marine water 0 mg/l		0 mg/l	
Freshwater sediment 0,002 mg/kg		0,002 mg/kg	
Marine sediment 0,002 mg/kg		0,002 mg/kg	
Micro-organisms in sewage treatment plants (STP) 8,8 mg/l			



according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 5 of 12

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory).

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Eye glasses with side protection EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear protective gloves. EN ISO 374

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Before using check leak tightness / impermeability. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing. Suitable protective clothing: Protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at: exceeding exposure limit values, insufficient ventilation

Suitable respiratory protection apparatus: Particle filter device (EN 143) - Type: P2/3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid



according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 6 of 12

Colour: clear

Odour: characteristic

Melting point/freezing point: ~0 °C
Boiling point or initial boiling point and ~100 °C

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

not determined

Upper explosion limits:

not determined

Tlash point:

>100 °C

Auto-ignition temperature:

Decomposition temperature:

pH-Value (at 20 °C):

O-1

Viscosity / kinomatic:

Viscosity / kinematic: not determined Water solubility: very soluble

(at 20 °C)

Solubility in other solvents

none

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

not determined

1,03 g/cm³

not determined

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion:

No data available

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

Solvent separation test:

not determined
Solvent content:

not determined
Solid content:

not determined
viscosity / dynamic:

not determined
rot determined
not determined
not determined
not determined
not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Possibility of hazardous reactions

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidizing agent. Violent reaction with: strong alkalis

10.4. Conditions to avoid

Protect from direct sunlight. Keep away from heat.

10.5. Incompatible materials

Metal. Keep away from: Base, Oxidizing agent, Peroxides. strong alkalis

10.6. Hazardous decomposition products

In case of fire may be liberated: Gases/vapours, irritant, Sulphur oxides



according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 7 of 12

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	xposure route Dose Species Source Method					
7664-93-9	sulphuric acid%						
		LD50 mg/kg	2140	Rat	suppliers SDS.		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method	
7664-93-9	sulphuric acid%					
	Acute algae toxicity	ErC50 >100 mg/l	72 h	suppliers SDS.		
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	suppliers SDS.		

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

The product has not been tested.



according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 8 of 12

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals: laboratory chemicals, consisting of or containing hazardous substances.

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2796

14.2. UN proper shipping name: SULPHURIC ACID

14.3. Transport hazard class(es): 8
14.4. Packing group:

Hazard label: 8



Classification code: C1
Limited quantity: 1 L
Excepted quantity: E2



according to UK REACH Regulation

	according to OK P	CEACIT Regulation			
	Sulphuric acid 1.0 mol/l (~ 10 %)				
Revision date: 28.11.2023	Product code	: 12853.xxxxx	Page 9 of 12		
Transport category:	2				
Hazard No:	80				
Tunnel restriction code:	E				
Inland waterways transport (ADN)					
14.1. UN number or ID number:	UN 2796				
14.2. UN proper shipping name:	Sulphuric acid				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	II				
Hazard label:	8				
	8				
Classification code:	C1 **				
Limited quantity:	1 L				
Excepted quantity:	E2				
Marine transport (IMDG)					
14.1. UN number or ID number:	UN 2796				
14.2. UN proper shipping name:	SULPHURIC ACID				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	II				
Hazard label:	8				
	8				
Special Provisions:	• • • • • • • • • • • • • • • • • • •				
Limited quantity:	1 L				
Excepted quantity:	E2				
EmS:	F-A, S-B				
Segregation group:	1 - acids				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	UN 2796				
14.2. UN proper shipping name:	SULPHURIC ACID				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	II				
Hazard label:	8				
	8				
Limited quantity Passenger:	0.5 L				
Passenger LQ:	Y840				
Excepted quantity:	E2				
IATA-packing instructions - Passenger:		851			
IATA-max. quantity - Passenger:		1 L			

IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive. Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

Print date: 28.11.2023



Safety Data Sheet

according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 10 of 12

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3. Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant

disappearances and thefts should be reported to the relevant national contact point.

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: sulphuric acid%

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Rev. 1,0; 23.02.2016, Initial release

Rev. 2,0; 28.11.2023, Individual safety data sheet based on 12853_collect



according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 11 of 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOFC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)



according to UK REACH Regulation

Sulphuric acid 1.0 mol/l (~ 10 %)

Revision date: 28.11.2023 Product code: 12853.xxxxx Page 12 of 12

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Met. Corr: Corrosive to metals Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification Classification procedure	
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)