

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022


SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Trade name: **Technovit 9100 powder new**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

 - Application of the substance / the mixture Resin for histological examinations
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Kulzer GmbH
Leipziger Straße 2, 63450 Hanau (Germany)
Tel.: +49 (0)6181 9689-2570 (Wehrheim)
 - **Informing department:** email: technik.wehrheim@kulzer-dental.com
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - Classification according to Regulation (EC) No 1272/2008
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
 - **2.2 Label elements**
 - Labelling according to Regulation (EC) No 1272/2008
The product is classified and labelled according to the GB CLP regulation.
 - Hazard pictograms
- 

GHS09
- **Signal word** Void
 - **Hazard statements**
H411 Toxic to aquatic life with long lasting effects.
 - **Precautionary statements**
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
 - **Additional information:**
Contains methyl methacrylate, dibenzoyl peroxide. May produce an allergic reaction.
 - **2.3 Other hazards -**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Dangerous components:

CAS: 80-62-6	methyl methacrylate	≥0.1-<1%
EINECS: 201-297-1	Flam. Liq. 2, H225	
Reg.nr.: 01-2119452498-28-xxxx	Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	

(Contd. on page 2)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022

Trade name: Technovit 9100 powder new

CAS: 94-36-0

EINECS: 202-327-6

Reg.nr.: 01-2119511472-50-xxxx

dibenzoyl peroxide

Self-react. B, H241; Org. Perox. B, H241

Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)

Eye Irrit. 2, H319; Skin Sens. 1, H317

(Contd. of page 1)

≥0.25- <1%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Personal protection for the First Aider.

Take affected persons out of danger area and instruct to lie down.

After inhalation Seek medical treatment in case of complaints.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

Remove contact lenses, if present and easy to do. Continue rinsing.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

 CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents Water with a full water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Combustible solids. Fine dust clouds can form explosive mixtures with air.

Can be released in case of fire

 Carbon dioxide (CO₂)

Carbon monoxide (CO)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

(EN 133)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use breathing protection against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Avoid causing dust.

Keep away from ignition sources

Particular danger of slipping on leaked/spilled product.

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022

Trade name: Technovit 9100 powder new

(Contd. of page 2)

- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Collect mechanically.
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 7 for information on safe handling

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Provide suction extractors if dust is formed.
Ensure good ventilation/exhaustion at the workplace.
Any deposit of dust which cannot be avoided must be removed regularly.
Prevent formation of dust.
 - **Information about protection against explosions and fires:**
Use explosion-proof apparatus / fittings and spark-proof tools.
Protect against electrostatic charges.
Dust can combine with air to form an explosive mixture.
Use only in explosion-proof area.
Keep ignition sources away - Do not smoke.
 - **Handling**
do not mix with
Strong oxidizers
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:**
Store in cool, dry place in tightly closed containers.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Store under dry conditions.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Components with critical values that require monitoring at the workplace:**

80-62-6 methyl methacrylate

WEL (Great Britain)	Short-term value: 416 mg/m ³ , 100 ppm Long-term value: 208 mg/m ³ , 50 ppm
IOELV (European Union)	Short-term value: 100 ppm Long-term value: 50 ppm

94-36-0 dibenzoyl peroxide

WEL (Great Britain)	Long-term value: 5 mg/m ³
---------------------	--------------------------------------

· **DNELs**

80-62-6 methyl methacrylate

Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m ³ (not defined)

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022

Trade name: Technovit 9100 powder new

(Contd. of page 3)

	worker industrial, long term, systemic	348.4 mg/m3 (not defined)
	worker industrial, long term, local	208 mg/m3 (not defined)
	general population, acute, local	208 mg/m3 (not defined)
	general population, long term, systemic	74.3 mg/m3 (not defined)

94-36-0 dibenzoyl peroxide

Oral	general population, long term, systemic	2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.3 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	39 mg/m3 (not defined)

· PNECs

80-62-6 methyl methacrylate

freshwater	0.94 mg/l (aqua) 0.94 mg/l (not defined)
marine water	0.094 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	10.2 mg/Kg (not defined)
sediment, dry weight, marine water	0.102 mg/Kg (not defined)
soil, dry weight	1.48 mg/Kg (not defined)

94-36-0 dibenzoyl peroxide

freshwater	0.00002 mg/l (not defined)
marine water	0.000002 mg/l (not defined)
sewage treatment plant	0.35 mg/l (not defined)
sediment, dry weight, freshwater	0.013 mg/Kg (not defined)
sediment, dry weight, marine water	0.001 mg/Kg (not defined)
soil, dry weight	0.003 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Do not eat or drink while working.

Do not inhale dust / smoke / mist.

Wash hands during breaks and at the end of the work.

· **Breathing equipment:**

Use breathing protection in case of insufficient ventilation.

particulate filter device (EN 143)

· **Hand protection**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

chemical protection gloves are suitable, which are tested according to EN 374

Check protective gloves prior to each use for their proper condition.

· **Material of gloves**

NBR: acrylonitrile-butadiene rubber (0,11 mm)

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022

Trade name: Technovit 9100 powder new

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
>30 min
- **Eye/face protection** eye protection (EN 166)
- **Body protection:** Light weight protective clothing
- **Environmental exposure controls**
Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

- **Colour:** White
- **Smell:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** Not determined
- **Flammability** Not determined.
- **Lower and upper explosion limit**
 - **Lower:** Not determined.
 - **Upper:** Not determined.
- **Flash point:** Not applicable
- **Decomposition temperature:** Not determined.

· SADT

- **pH** Not applicable.
- **Viscosity:**
 - **Kinematic viscosity** Not applicable.
 - **dynamic:** Not applicable.
- **Solubility**
 - **Water:** Insoluble
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Steam pressure:** Not applicable.
- **Density and/or relative density**
 - **Density at 20 °C** 1.16 g/cm³
 - **Relative density** Not determined.
 - **Settled apparent density** 700-750 kg/m³
 - **Vapour density** Not applicable.

· 9.2 Other information

No further relevant information available.

· Appearance:

- **Form:** Powder

· Important information on protection of health and environment, and on safety.

- **Self-inflammability:** Not determined.
- **Explosive properties:** Product is not explosive. However, formation of explosive powder/air mixtures is possible.

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022

Trade name: Technovit 9100 powder new

(Contd. of page 5)

· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
 - Risk of dust explosion if enriched with fine dust in presence of air
- **10.4 Conditions to avoid**
 - Heat, flames and sparks.
 - Avoid dust formation.
- **10.5 Incompatible materials:** Strong oxidizers
- **10.6 Hazardous decomposition products:** None

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

80-62-6 methyl methacrylate

Oral	LD50	~7,900 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rab) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)

94-36-0 dibenzoyl peroxide

Oral	LD0	>2,000 mg/kg (mouse) (OECD 401)
Inhalative	LC0/4h	24.3 ppm (rat) (OECD 403)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022

Trade name: Technovit 9100 powder new

(Contd. of page 6)

- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
Taking into account the current state of scientific knowledge, no data on endocrine disrupting properties of the product are available.

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

80-62-6 methyl methacrylate

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

94-36-0 dibenzoyl peroxide

EC50/72h	0.042 mg/l (algae) (OECD 201)
EC50/48h	0.11 mg/l (daphnia) (OECD 202)
LC50/96h	0.06 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.071 mg/l (algae) (OECD 201)
NOEC / 72h	0.02 mg/l (algae) (OECD 201)
NOEC / 96h	0.032 mg/l (fish) (OECD 203)
NOEC / 48h	0.076 mg/l (daphnia) (OECD 202)
ErC10	0.001 mg/L /21d (daphnia) (OECD 211)

· 12.2 Persistence and degradability

80-62-6 methyl methacrylate

Biodegradation	94 % /14d (not defined) (OECD 301C)
----------------	-------------------------------------

94-36-0 dibenzoyl peroxide

Biodegradation	71 % /28d (not defined) (OECD 301D)
----------------	-------------------------------------

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
For information on endocrine disrupting properties see section 11.
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022

Trade name: Technovit 9100 powder new

(Contd. of page 7)

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Smaller quantities can be disposed with household garbage.
Disposal must be made according to official regulations.

Uncleaned packagings:

Recommendation: Packaging can be reused or recycled after cleaning.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

UN3077

14.2 UN proper shipping name

ADR

3077 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (dibenzoyl
peroxide)

IMDG


ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (dibenzoyl
peroxide), MARINE POLLUTANT

IATA

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (dibenzoyl
peroxide)

14.3 Transport hazard class(es)

ADR




Class

9 (M7) Miscellaneous dangerous substances
and articles.

Label

9

IMDG, IATA



Class

9 Miscellaneous dangerous substances and
articles.

Label

9

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022

Trade name: Technovit 9100 powder new

(Contd. of page 8)

· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No Symbol (fish and tree)
· Special marking (ADR): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Kemler Number: · EMS Number: · Stowage Category · Stowage Code	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	-
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category · Tunnel restriction code	3 (-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE), 9, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E2** Hazardous to the Aquatic Environment

· **Information about limitation of use:**

- Employment restrictions concerning young persons must be observed.
- Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 10)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 11.04.2022

Version number 6 (replaces version 1)

Revision: 11.04.2022

Trade name: Technovit 9100 powder new

(Contd. of page 9)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H241 Heating may cause a fire or explosion.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- SADT: Self Accelerating Decomposition Temperature
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (GB REACH)
- PNEC: Predicted No-Effect Concentration (GB REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids – Category 2
- Self-react. B: Self-reactive substances and mixtures – Type B
- Org. Perox. B: Organic peroxides – Type B
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **Sources**

- (EC) 1272/2008: classification, labelling and packaging of substances and mixtures
- (EC) 1907/2006: GB REACH
- ADR/RID/ADN - IMDG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

· *** Data compared to the previous version altered.**